



[GET A QUOTE >](#)

TrueLine, suspended - True line of light: elegant, energy-efficient and compliant with office lighting norms

TrueLine, suspended

Architects need a lighting solution that matches the interior architecture of the property they are working on. They want a light line with an elegant design and very high light levels. Specifiers need luminaires that enable them to save energy while at the same time providing the right level of light, in compliance with office lighting norms. TrueLine, suspended is able to meet both sets of requirements. TrueLine is also available in recessed and surface-mounted versions.

Benefits

- The most uniform exit window
- Extremely high efficacy for a line luminaire
- Luminaire housing dimensions most favored by architects

Features

- Luminous efficacy > 100 lm/W
- Complies with office lighting norms
- Stand-alone and continuous lines
- Recessed version also available
- Direct and indirect light
- Homogeneous exit window
- Future-proof: PoE

TrueLine, suspended

Application

- General lighting for mid- and high-end office buildings

Specifications

Type	SP530P (office compliant direct-light version)
	SP531P (non-office compliant direct-light version)
	SP532P (office compliant direct/indirect-light version)
	SP533P (non-office compliant direct/indirect-light version)
Light source	Non-replaceable LED module

Power	Office compliant (OC), 1130 and 1170 mm, 4000 K versions:
	10 W (direct 1500 lm)
	17.5 W (direct 2500 lm)
	24 W (direct 3400 lm)
	29 W (direct 4000 lm)
	15.2 W (direct 1500 lm, indirect 660 lm, total 2160 lm)
	25.5 W (direct 2500 lm, indirect 1100 lm, total 3600 lm)
	35.5 W (direct 3400 lm, indirect 1550 lm, total 4950 lm)
	42.5 W (direct 4000 lm, indirect 1850 lm, total 5850 lm)
	Non-office compliant (NOC) 1130 and 1170 mm, 4000 K versions:
	14.6 W (direct 1500 lm)
	24.5 W (direct 2500 lm)
	21 W (direct 1500 lm, indirect 940 lm, total 2440 lm)
	36 W (direct 2500 lm, indirect 1600 lm, total 4100 lm)
	Office compliant (OC) 1410 and 1450 mm, 4000 K versions:
	12.4 W (direct 1900 lm)
	21.5 W (direct 3100 lm)
	32 W (direct 4300 lm)
	38.5 W (direct 5000 lm)
	19.2 W (direct 1900 lm, indirect 1000 lm, total 2900 lm)
	34 W (direct 3100 lm, indirect 1650 lm, total 4750 lm)
	50 W (direct 4300 lm, indirect 2300 lm, total 6600 lm)
	60 W (direct 5000 lm, indirect 2700 lm, total 7700 lm)
	Non-office compliant (OC) 1410 and 1450 mm, 4000 K versions:
	17.8 W (direct 1900 lm)
	32 W (direct 3100 lm)
	29 W (direct 1900 lm, indirect 1400 lm, total 3300 lm)
	51 W (direct 3100 lm, indirect 2300 lm, total 5400 lm)
	Office compliant (OC) 1130 and 1170 mm, 3000 K versions:
	10.6 W (direct 1500 lm)
	18.2 W (direct 2500 lm)
	25.5 W (direct 3400 lm)
	30.5 W (direct 4000 lm)
	16 W (direct 1500, indirect 660, total 2160 lm)
	26.5 W (direct 2500, indirect 1100, total 3600 lm)
	37.5 W (direct 3400, indirect 1550, total 4950 lm)
	44.5 W (direct 4000, indirect 1850, total 5850 lm)
	Non-office compliant (NOC) 1130 and 1170mm, 3000 K:
	15.6 W (direct 1500 lm)
	26 W (direct 2500 lm)
	22 W (direct 1500 lm, indirect 940 lm, total 2440 lm)
	38.5 W (direct 2500 lm, indirect 1600 lm, total 4100 lm)
	Office compliant (OC) 1410 and 1450 mm, 3000 K versions:
	13 W (direct 1900 lm)
	23 W (direct 3100 lm)
	34 W (direct 4300 lm)
	40.5 W (direct 5000 lm)

TrueLine, suspended

	20 W (direct 1900 lm, indirect 1000 lm, total 2900 lm)
	36 W (direct 3100 lm, indirect 1650 lm, total 4750 lm)
	53 W (direct 4300 lm, indirect 2300 lm, total 6600 lm)
	64 W (direct 5000 lm, indirect 2700 lm, total 7700 lm)
	Non-office compliant (OC) 1410 and 1450 mm, 3000 K versions:
	18.8 W (direct 1900 lm)
	34 W (direct 3100 lm)
	31 W (direct 1900 lm, indirect 1400 lm, total 3300 lm)
	55 W (direct 3100 lm, indirect 2300 lm, total 5400 lm)
Beam angle	80 ° (OC), 110 ° (NOC)
Luminous flux	1500 to 7700 lm (4000 K)
Correlated Color	3000 or 4000 K
Temperature	
Color Rendering Index	>80
Median useful life L70B50	70,000 hours
Median useful life L80B50	50,000 hours
Median useful life L90B50	25,000 hours
Driver failure rate	1% per 5000 hours
Average ambient temperature	+25 °C
Operating temperature range	+10 to +40 °C
Driver	Built-in
Power/Data supply	PDS-60 24 V; supply for indoor and outdoor applications

Mains voltage	220-240 V / 50-60 Hz
Dimming	Compatible with many commercial available ELV dimmers
Controls system input	0-16 V, DALI
Options	Central battery
Material	
	Housing: anodized aluminum
	Driver box: steel
	Cover: PMMA or polycarbonate
Color	
	Aluminum (ALU)
Optical cover	
	Office compliant: PMMA, semi-transparent
	Non-office compliant: polycarbonate, opal
Connection	Push-in connector (PI) or with pull relief (PIP)
Maintenance	Optical module replaceable, no internal cleaning required
Installation	
	Fixation by means of brackets
	Individual or in line; suspended mounting with three different options:
	SM2 (one 2-wire bag, one Reutinger for ceiling side, one ceiling cap)
	SW2 (one 2-wire bag, one (for LF1) or two (for BV/LE1) Reutingers, one tool to fix the alignment profile (for LF1))
	SMTT (one 2-wire bag, one (for LF1) or two (for BV/LE1) T-bar ceiling clips, one (for LF1) or two (for BV/LE1) Reutingers, one tool to fix the alignment profile (for LF1))
	Through-wiring possible
Remarks	Suspension set to be delivered with the luminaire

Versions

[GET A QUOTE >](#)



Trueline suspended SP530B luminaire, office-compliant version with direct lighting, 1.2 m



Trueline suspended SP531B luminaire, non-office compliant version with direct lighting, 1.2 m



Trueline suspended SP530B luminaire, office-compliant version with direct lighting and ActiLume, 1.2 m



Trueline suspended SP532B luminaire, line end, office-compliant version with direct/indirect lighting, 1.2 m

TrueLine, suspended

Versions

[GET A QUOTE >](#)



TrueLine DIRECT/INDIRECT NOC - LED Module, system flux 2400 lm - 1170 mm



TrueLine Suspended DIRECT Asym

Product details

Office-compliant luminaire, view from below



Suspended stand-alone luminaire, office-compliant; suspended light-line, office-compliant, with ACL sensor; suspended stand-alone luminaire, non-office-compliant, with blind plate.



TrueLine_suspended-SP530P_SP531P_SP532P_SP533P_SM2_ALU-DP17



TrueLine_suspended-SP530P_SP532P_L1130_ALU-DP02



TrueLine_suspended-SP531P_SP533P_L1130_ALU-DP01



TrueLine_suspended-SP530P_SP532P_ACL_L1170_ALU-DP03

TrueLine, suspended

Product details



TrueLine, suspended SP530P
SP532P LE1 LF1 ALU Detail photo 11



TrueLine, suspended SP530P
SP532P LE1 LF1 ALU Detail photo



TrueLine, suspended SP530P
SP531P SP532P SP533P LF1 SMTT
Detail photo



TrueLine, suspended SP530P
SP531P SP532P SP533P LF1 SW2
Detail photo



TrueLine-SP534_SM534P-DPP.tif



TrueLine-RC534B_SM534C_SP534P-
DPP.tif

Application Conditions

Ambient temperature range	+10 to +40 °C
Maximum dim level	1%

Approval and Application

Mech. impact protection code	IK02
Ingress protection code	IP40

Controls and Dimming

Dimmable	Yes
----------	-----

General Information

Cap-Base	-
CE mark	CE mark
Optical cover/lens type	Polymethyl methacrylate bowl/cover
Driver included	Yes
ENEC mark	ENEC plus mark
Flammability mark	For mounting on normally flammable surfaces
Glow-wire test	Temperature 650 °C, duration 5 s
Light source replaceable	No
Number of gear units	1 unit
Number of light sources	1 pc
Optic type	-
UL mark	-

Initial Performance (IEC Compliant)

Init. Color Rendering Index	≥80
Luminous flux tolerance	+/-10%

Application Conditions

Order Code	Full Product Name	Suitable for random switching
910504097203	SP530P LED34S/840 PSD PI5 SM2 L1130 ALU	No
910504097303	SP530P LED40S/840 PSD PI5 SM2 L1130 ALU	No
910504097403	SP532P LED49S/840 PSD PI5 SM2 L1130 ALU	No
910504097503	SP532P LED58S/840 PSD PI5 SM2 L1130 ALU	No
910504098203	SP532P LED49S/830 PSD PI5 SM2 L1130 ALU	No
910504099903	SP530P LED43S/840 PSD PI5 SM2 L1410 ALU	No
910504100003	SP530P LED50S/840 PSD PI5 SM2 L1410 ALU	No
910504100303	SP532P LED66S/840 PSD PI5 SM2 L1410 ALU	No
910504100403	SP532P LED66S/830 PSD PI5 SM2 L1410 ALU	No
910504100503	SP532P LED77S/840 PSD PI5 SM2 L1410 ALU	No
910504101403	SP530P LED25S/840 POE SW2 L1130 ALU	No
910504101503	SP532P LED21S/840 POE SW2 L1130 ALU	No
910504101603	SP530P LED34S/840 POE SW2 L1130 ALU	No
910504102503	SP532P LED21S/840 PSD PI5 SM2 L1130 ALU	No
910504102603	SP532P LED21S/830 PSD PI5 SM2 L1130 ALU	No
910504102703	SP532P LED36S/840 PSD PI5 SM2 L1130 ALU	No
910504102803	SP532P LED36S/830 PSD PI5 SM2 L1130 ALU	No
910504102903	SP532P LED58S/830 PSD PI5 SM2 L1130 ALU	No
910504104303	SP532P LED36S/840 PSD PI5 SM2 L1130 9003	No
910504104403	SP532P LED29S/840 PSD PI5 SM2 L1410 ALU	No
910504104503	SP532P LED29S/830 PSD PI5 SM2 L1410 ALU	No
910504104603	SP532P LED47S/840 PSD PI5 SM2 L1410 ALU	No
910504104703	SP532P LED47S/830 PSD PI5 SM2 L1410 ALU	No
910504104803	SP532P LED77S/830 PSD PI5 SM2 L1410 ALU	No
910504104903	SP532P LED29S/840 PSD PI5 SM2 L1410 9003	No
910504105003	SP532P LED29S/830 PSD PI5 SM2 L1410 9003	No
910504105103	SP532P LED47S/840 PSD PI5 SM2 L1410 9003	No
910504105203	SP532P LED47S/830 PSD PI5 SM2 L1410 9003	No
910504105303	SP532P LED66S/840 PSD PI5 SM2 L1410 9003	No
910504105403	SP532P LED66S/830 PSD PI5 SM2 L1410 9003	No
910504105503	SP532P LED77S/840 PSD PI5 SM2 L1410 9003	No
910504105603	SP532P LED77S/830 PSD PI5 SM2 L1410 9003	No
910504106003	SP532P LED29S/840 PSD LE1 PI5 SM2 L1410	No
910504106103	SP532P LED29S/840 PSD LF1 PI5 SM2 L1410	No
910504106203	SP532P LED47S/840 PSD LF1 PI5 SM2 L1410	No
910504097603	SP531P LED15S/840 PSD PI5 SM2 L1130 ALU	No
910504097703	SP533P LED41S/840 PSD PI5 SM2 L1130 ALU	No
910504098303	SP533P LED24S/830 PSD PI5 SM2 L1130 ALU	No
910504100203	SP531P LED19S/840 PSD PI5 SM2 L1410 ALU	No
910504101003	SP533P LED54S/840 PSD PI5 SM2 L1410 ALU	No
910504101103	SP533P LED33S/830 PSD PI5 SM2 L1410 ALU	No
910504101803	SP531P LED15S/840 POE SW2 L1130 ALU	No
910504101903	SP531P LED25S/840 POE SW2 L1130 ALU	No
910504102003	SP533P LED24S/840 POE SW2 L1130 ALU	No
910504103503	SP533P LED24S/840 PSD PI5 SM2 L1130 ALU	No
910504103603	SP533P LED41S/830 PSD PI5 SM2 L1130 ALU	No
910504106303	SP533P LED33S/840 PSD PI5 SM2 L1410 ALU	No
910504106403	SP533P LED54S/830 PSD PI5 SM2 L1410 ALU	No
910504106503	SP533P LED33S/840 PSD PI5 SM2 L1410 9003	No
910504106603	SP533P LED33S/830 PSD PI5 SM2 L1410 9003	No
910504106703	SP533P LED54S/840 PSD PI5 SM2 L1410 9003	No

Order Code	Full Product Name	Suitable for random switching
910504106803	SP533P LED54S/830 PSD PI5 SM2 L1410 9003	No
910504097803	SP530P LED40S/840 PSD ACL SM2 L1170 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504097903	SP532P LED58S/840 PSD ACL SM2 L1170 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504100103	SP530P LED50S/840 PSD ACL SM2 L1450 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504100603	SP532P LED77S/840 PSD ACL SM2 L1450 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504101703	SP532P LED36S/840 POE ACL SW2 L1170 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504103003	SP532P LED21S/840 PSD ACL PI5 SM2 L1170	Yes (relates to presence/ movement detection and daylight harvesting)
910504103103	SP532P LED36S/840 PSD ACL PI5 SM2 L1170	Yes (relates to presence/ movement detection and daylight harvesting)
910504103203	SP532P LED49S/840 PSD ACL PI5 SM2 L1170	Yes (relates to presence/ movement detection and daylight harvesting)
910504105703	SP532P LED29S/840 PSD ACL SM2 L1450 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504105803	SP532P LED47S/840 PSD ACL SM2 L1450 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504105903	SP532P LED66S/840 PSD ACL SM2 L1450 ALU	Yes (relates to presence/ movement detection and daylight harvesting)
910504106903	SP533P LED33S/840 PSD ACL PI5 SM2 L1450	Yes (relates to presence/ movement detection and daylight harvesting)
910504107003	SP533P LED54S/840 PSD ACL PI5 SM2 L1450	Yes (relates to presence/ movement detection and daylight harvesting)
910504098003	SP532P LED36S/840 PSD LE1 PI7 SM2 L1130	No
910504098103	SP532P LED36S/840 PSD LF1 PI7 SMTT L1130	No
910504098403	SP532P LED36S/840 PSD LF1 PI7 SW2 L1130	No
910504100703	SP532P LED47S/840 PSD LE1 PI5 SM2 L1410	No
910504100803	SP532P LED47S/840 PSD LF1 PI5 SMTT L1410	No
910504100903	SP532P LED47S/840 PSD LF1 PI5 SW2 L1410	No
910504113003	SP534P LED34S/840 PSD LE1 PI5 SM2 L1130	No
910504113103	SP534P LED34S/840 PSD LF1 PI5 SM2 L1130	No
910504113203	SP534P LED40S/840 PSD LE1 PI5 SM2 L1130	No
910504113303	SP534P LED40S/840 PSD LF1 PI5 SM2 L1130	No
910504113403	SP534P LED43S/840 PSD LE1 PI5 SM2 L1410	No
910504113503	SP534P LED43S/840 PSD LF1 PI5 SM2 L1410	No
910504113603	SP534P LED50S/840 PSD LE1 PI5 SM2 L1410	No
910504113703	SP534P LED50S/840 PSD LF1 PI5 SM2 L1410	No
910504103703	SP533P LED24S/840 PSD ACL PI5 SM2 L1170	Yes (relates to presence/ movement detection and daylight harvesting)
910504103803	SP533P LED41S/840 PSD ACL PI5 SM2 L1170	Yes (relates to presence/ movement detection and daylight harvesting)
910504107103	SP533P LED33S/840 PSD LE1 PI5 SM2 L1410	No
910504107203	SP533P LED54S/840 PSD LE1 PI5 SM2 L1410	No
910504107303	SP533P LED33S/840 PSD LF1 PI5 SM2 L1410	No
910504107403	SP533P LED54S/840 PSD LF1 PI5 SM2 L1410	No
910504112803	SP534P LED40S/840 PSD PI5 SM2 L1130 ALU	No
910504112903	SP534P LED50S/840 PSD PI5 SM2 L1410 ALU	No

TrueLine, suspended

Order Code	Full Product Name	Input Voltage
910504097203	SP530P LED34S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504097303	SP530P LED40S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504097403	SP532P LED49S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504097503	SP532P LED58S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504098203	SP532P LED49S/830 PSD PI5 SM2 L1130 ALU	220-240 V
910504099903	SP530P LED43S/840 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504100003	SP530P LED50S/840 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504100303	SP532P LED66S/840 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504100403	SP532P LED66S/830 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504100503	SP532P LED77S/840 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504101403	SP530P LED25S/840 POE SW2 L1130 ALU	51 to 54 V
910504101503	SP532P LED21S/840 POE SW2 L1130 ALU	51 to 54 V
910504101603	SP530P LED34S/840 POE SW2 L1130 ALU	51 to 54 V
910504102503	SP532P LED21S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504102603	SP532P LED21S/830 PSD PI5 SM2 L1130 ALU	220-240 V
910504102703	SP532P LED36S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504102803	SP532P LED36S/830 PSD PI5 SM2 L1130 ALU	220-240 V
910504102903	SP532P LED58S/830 PSD PI5 SM2 L1130 ALU	220-240 V
910504104303	SP532P LED36S/840 PSD PI5 SM2 L1130 9003	220-240 V
910504104403	SP532P LED29S/840 PSD PI5 SM2 L1410 ALU	220-240 V
910504104503	SP532P LED29S/830 PSD PI5 SM2 L1410 ALU	220-240 V
910504104603	SP532P LED47S/840 PSD PI5 SM2 L1410 ALU	220-240 V
910504104703	SP532P LED47S/830 PSD PI5 SM2 L1410 ALU	220-240 V
910504104803	SP532P LED77S/830 PSD PI5 SM2 L1410 ALU	220-240 V
910504104903	SP532P LED29S/840 PSD PI5 SM2 L1410 9003	220-240 V
910504105003	SP532P LED29S/830 PSD PI5 SM2 L1410 9003	220-240 V
910504105103	SP532P LED47S/840 PSD PI5 SM2 L1410 9003	220-240 V
910504105203	SP532P LED47S/830 PSD PI5 SM2 L1410 9003	220-240 V
910504105303	SP532P LED66S/840 PSD PI5 SM2 L1410 9003	220-240 V
910504105403	SP532P LED66S/830 PSD PI5 SM2 L1410 9003	220-240 V
910504105503	SP532P LED77S/840 PSD PI5 SM2 L1410 9003	220 to 240 V
910504105603	SP532P LED77S/830 PSD PI5 SM2 L1410 9003	220-240 V
910504106003	SP532P LED29S/840 PSD LE1 PI5 SM2 L1410	220-240 V
910504106103	SP532P LED29S/840 PSD LF1 PI5 SM2 L1410	220-240 V
910504106203	SP532P LED47S/840 PSD LF1 PI5 SM2 L1410	220-240 V
910504097603	SP531P LED15S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504097703	SP533P LED41S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504098303	SP533P LED24S/830 PSD PI5 SM2 L1130 ALU	220-240 V
910504100203	SP531P LED19S/840 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504101003	SP533P LED54S/840 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504101103	SP533P LED33S/830 PSD PI5 SM2 L1410 ALU	220 to 240 V
910504101803	SP531P LED15S/840 POE SW2 L1130 ALU	51 to 54 V
910504101903	SP531P LED25S/840 POE SW2 L1130 ALU	51 to 54 V
910504102003	SP533P LED24S/840 POE SW2 L1130 ALU	51 to 54 V

Order Code	Full Product Name	Input Voltage
910504103503	SP533P LED24S/840 PSD PI5 SM2 L1130 ALU	220-240 V
910504103603	SP533P LED41S/830 PSD PI5 SM2 L1130 ALU	220-240 V
910504106303	SP533P LED33S/840 PSD PI5 SM2 L1410 ALU	220-240 V
910504106403	SP533P LED54S/830 PSD PI5 SM2 L1410 ALU	220-240 V
910504106503	SP533P LED33S/840 PSD PI5 SM2 L1410 9003	220-240 V
910504106603	SP533P LED33S/830 PSD PI5 SM2 L1410 9003	220-240 V
910504106703	SP533P LED54S/840 PSD PI5 SM2 L1410 9003	220-240 V
910504106803	SP533P LED54S/830 PSD PI5 SM2 L1410 9003	220-240 V
910504097803	SP530P LED40S/840 PSD ACL SM2 L1170 ALU	220-240 V
910504097903	SP532P LED58S/840 PSD ACL SM2 L1170 ALU	220-240 V
910504100103	SP530P LED50S/840 PSD ACL SM2 L1450 ALU	220 to 240 V
910504100603	SP532P LED77S/840 PSD ACL SM2 L1450 ALU	220 to 240 V
910504101703	SP532P LED36S/840 POE ACL SW2 L1170 ALU	51 to 54 V
910504103003	SP532P LED21S/840 PSD ACL PI5 SM2 L1170	220-240 V
910504103103	SP532P LED36S/840 PSD ACL PI5 SM2 L1170	220-240 V
910504103203	SP532P LED49S/840 PSD ACL PI5 SM2 L1170	220-240 V
910504105703	SP532P LED29S/840 PSD ACL SM2 L1450 ALU	220-240 V
910504105803	SP532P LED47S/840 PSD ACL SM2 L1450 ALU	220-240 V
910504105903	SP532P LED66S/840 PSD ACL SM2 L1450 ALU	220-240 V
910504106903	SP533P LED33S/840 PSD ACL PI5 SM2 L1450	220-240 V
910504107003	SP533P LED54S/840 PSD ACL PI5 SM2 L1450	220-240 V
910504098003	SP532P LED36S/840 PSD LE1 PI7 SM2 L1130	220-240 V
910504098103	SP532P LED36S/840 PSD LF1 PI7 SMTT L1130	220-240 V
910504098403	SP532P LED36S/840 PSD LF1 PI7 SW2 L1130	220-240 V
910504100703	SP532P LED47S/840 PSD LE1 PI5 SM2 L1410	220 to 240 V
910504100803	SP532P LED47S/840 PSD LF1 PI5 SMTT L1410	220 to 240 V
910504100903	SP532P LED47S/840 PSD LF1 PI5 SW2 L1410	220 to 240 V
910504113003	SP534P LED34S/840 PSD LE1 PI5 SM2 L1130	220-240 V
910504113103	SP534P LED34S/840 PSD LF1 PI5 SM2 L1130	220-240 V
910504113203	SP534P LED40S/840 PSD LE1 PI5 SM2 L1130	220-240 V
910504113303	SP534P LED40S/840 PSD LF1 PI5 SM2 L1130	220-240 V
910504113403	SP534P LED43S/840 PSD LE1 PI5 SM2 L1410	220 to 240 V
910504113503	SP534P LED43S/840 PSD LF1 PI5 SM2 L1410	220 to 240 V
910504113603	SP534P LED50S/840 PSD LE1 PI5 SM2 L1410	220 to 240 V
910504113703	SP534P LED50S/840 PSD LF1 PI5 SM2 L1410	220 to 240 V
910504103703	SP533P LED24S/840 PSD ACL PI5 SM2 L1170	220-240 V
910504103803	SP533P LED41S/840 PSD ACL PI5 SM2 L1170	220-240 V
910504107103	SP533P LED33S/840 PSD LE1 PI5 SM2 L1410	220-240 V
910504107203	SP533P LED54S/840 PSD LE1 PI5 SM2 L1410	220-240 V
910504107303	SP533P LED33S/840 PSD LF1 PI5 SM2 L1410	220-240 V
910504107403	SP533P LED54S/840 PSD LF1 PI5 SM2 L1410	220-240 V
910504112803	SP534P LED40S/840 PSD PI5 SM2 L1130 ALU	220 to 240 V
910504112903	SP534P LED50S/840 PSD PI5 SM2 L1410 ALU	220 to 240 V

General Information (1/2)

TrueLine, suspended

Order Code	Full Product Name	Beam	Protection class	Gear	Lamp
		angle of light source			
910504097203	SP530P LED34S/840 PSD PI5 SM2 L1130 ALU	- °	Safety class I	GRT	LED34S
910504097303	SP530P LED40S/840 PSD PI5 SM2 L1130 ALU	- °	Safety class I	GRT	LED40S
910504097403	SP532P LED49S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED49S
910504097503	SP532P LED58S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	-	LED58S
910504098203	SP532P LED49S/830 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED49S
910504099903	SP530P LED43S/840 PSD PI5 SM2 L1410 ALU	- °	Safety class I	GRT	LED43S
910504100003	SP530P LED50S/840 PSD PI5 SM2 L1410 ALU	- °	Safety class I	GRT	LED50S
910504100303	SP532P LED66S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED66S
910504100403	SP532P LED66S/830 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED66S
910504100503	SP532P LED77S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED77S
910504101403	SP530P LED25S/840 POE SW2 L1130 ALU	-	Safety class III	GRT	LED25S
910504101503	SP532P LED21S/840 POE SW2 L1130 ALU	-	Safety class III	GRT	LED21S
910504101603	SP530P LED34S/840 POE SW2 L1130 ALU	- °	Safety class III	GRT	LED34S
910504102503	SP532P LED21S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED21S
910504102603	SP532P LED21S/830 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED21S
910504102703	SP532P LED36S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED36S
910504102803	SP532P LED36S/830 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED36S
910504102903	SP532P LED58S/830 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED58S
910504104303	SP532P LED36S/840 PSD PI5 SM2 L1130 9003	-	Safety class I	GRT	LED36S
910504104403	SP532P LED29S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED29S
910504104503	SP532P LED29S/830 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED29S
910504104603	SP532P LED47S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED47S
910504104703	SP532P LED47S/830 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED47S
910504104803	SP532P LED77S/830 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED77S

Order Code	Full Product Name	Beam	Protection class	Gear	Lamp
		angle of light source			
910504104903	SP532P LED29S/840 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED29S
910504105003	SP532P LED29S/830 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED29S
910504105103	SP532P LED47S/840 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED47S
910504105203	SP532P LED47S/830 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED47S
910504105303	SP532P LED66S/840 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED66S
910504105403	SP532P LED66S/830 PSD PI5 SM2 L1410 9003	-	Safety class I	-	LED66S
910504105503	SP532P LED77S/840 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED77S
910504105603	SP532P LED77S/830 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED77S
910504106003	SP532P LED29S/840 PSD LE1 PI5 SM2 L1410	-	Safety class I	GRT	LED29S
910504106103	SP532P LED29S/840 PSD LF1 PI5 SM2 L1410	-	Safety class I	GRT	LED29S
910504106203	SP532P LED47S/840 PSD LF1 PI5 SM2 L1410	-	Safety class I	GRT	LED47S
910504097603	SP531P LED15S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED15S
910504097703	SP533P LED41S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED41S
910504098303	SP533P LED24S/830 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED24S
910504100203	SP531P LED19S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED19S
910504101003	SP533P LED54S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	-	LED54S
910504101103	SP533P LED33S/830 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED33S
910504101803	SP531P LED15S/840 POE SW2 L1130 ALU	-	Safety class III	GRT	LED15S
910504101903	SP531P LED25S/840 POE SW2 L1130 ALU	-	Safety class III	GRT	LED25S
910504102003	SP533P LED24S/840 POE SW2 L1130 ALU	-	Safety class III	GRT	LED24S
910504103503	SP533P LED24S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED24S
910504103603	SP533P LED41S/830 PSD PI5 SM2 L1130 ALU	-	Safety class I	GRT	LED41S
910504106303	SP533P LED33S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED33S
910504106403	SP533P LED54S/830 PSD PI5 SM2 L1410 ALU	-	Safety class I	GRT	LED54S

TrueLine, suspended

Order Code	Full Product Name	Beam angle of light		Protection class		Lamp family	
		source	IEC	IEC	Gear	code	code
910504106503	SP533P LED33S/840 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED33S		
910504106603	SP533P LED33S/830 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED33S		
910504106703	SP533P LED54S/840 PSD PI5 SM2 L1410 9003	-	Safety class I	-	LED54S		
910504106803	SP533P LED54S/830 PSD PI5 SM2 L1410 9003	-	Safety class I	GRT	LED54S		
910504097803	SP530P LED40S/840 PSD ACL SM2 L1170 ALU	- °	Safety class I	GRT	LED40S		
910504097903	SP532P LED58S/840 PSD ACL SM2 L1170 ALU	-	Safety class I	GRT	LED58S		
910504100103	SP530P LED50S/840 PSD ACL SM2 L1450 ALU	- °	Safety class I	GRT	LED50S		
910504100603	SP532P LED77S/840 PSD ACL SM2 L1450 ALU	-	Safety class I	GRT	LED77S		
910504101703	SP532P LED36S/840 POE ACL SW2 L1170 ALU	-	Safety class III	GRT	LED36S		
910504103003	SP532P LED21S/840 PSD ACL PI5 SM2 L1170	-	Safety class I	GRT	LED21S		
910504103103	SP532P LED36S/840 PSD ACL PI5 SM2 L1170	-	Safety class I	GRT	LED36S		
910504103203	SP532P LED49S/840 PSD ACL PI5 SM2 L1170	-	Safety class I	GRT	LED49S		
910504105703	SP532P LED29S/840 PSD ACL SM2 L1450 ALU	-	Safety class I	GRT	LED29S		
910504105803	SP532P LED47S/840 PSD ACL SM2 L1450 ALU	-	Safety class I	GRT	LED47S		
910504105903	SP532P LED66S/840 PSD ACL SM2 L1450 ALU	-	Safety class I	GRT	LED66S		
910504106903	SP533P LED33S/840 PSD ACL PI5 SM2 L1450	-	Safety class I	GRT	LED33S		
910504107003	SP533P LED54S/840 PSD ACL PI5 SM2 L1450	-	Safety class I	GRT	LED54S		
910504098003	SP532P LED36S/840 PSD LE1 PI7 SM2 L1130	-	Safety class I	GRT	LED36S		
910504098103	SP532P LED36S/840 PSD LF1 PI7 SMTT L1130	-	Safety class I	GRT	LED36S		
910504098403	SP532P LED36S/840 PSD LF1 PI7 SW2 L1130	-	Safety class I	GRT	LED36S		
910504100703	SP532P LED47S/840 PSD LE1 PI5 SM2 L1410	-	Safety class I	GRT	LED47S		
910504100803	SP532P LED47S/840 PSD LF1 PI5 SMTT L1410	-	Safety class I	GRT	LED47S		
910504100903	SP532P LED47S/840 PSD LF1 PI5 SW2 L1410	-	Safety class I	GRT	LED47S		
910504113003	SP534P LED34S/840 PSD LE1 PI5 SM2 L1130	-	Safety class I	-	LED34S		
910504113103	SP534P LED34S/840 PSD LF1 PI5 SM2 L1130	-	Safety class I	-	LED34S		
910504113203	SP534P LED40S/840 PSD LE1 PI5 SM2 L1130	-	Safety class I	-	LED40S		
910504113303	SP534P LED40S/840 PSD LF1 PI5 SM2 L1130	-	Safety class I	-	LED40S		
910504113403	SP534P LED43S/840 PSD LE1 PI5 SM2 L1410	-	Safety class I	-	LED43S		
910504113503	SP534P LED43S/840 PSD LF1 PI5 SM2 L1410	-	Safety class I	-	LED43S		
910504113603	SP534P LED50S/840 PSD LE1 PI5 SM2 L1410	-	Safety class I	-	LED50S		
910504113703	SP534P LED50S/840 PSD LF1 PI5 SM2 L1410	-	Safety class I	-	LED50S		
910504103703	SP533P LED24S/840 PSD ACL PI5 SM2 L1170	-	Safety class I	GRT	LED24S		
910504103803	SP533P LED41S/840 PSD ACL PI5 SM2 L1170	-	Safety class I	GRT	LED41S		
910504107103	SP533P LED33S/840 PSD LE1 PI5 SM2 L1410	-	Safety class I	GRT	LED33S		
910504107203	SP533P LED54S/840 PSD LE1 PI5 SM2 L1410	-	Safety class I	GRT	LED54S		
910504107303	SP533P LED33S/840 PSD LF1 PI5 SM2 L1410	-	Safety class I	GRT	LED33S		
910504107403	SP533P LED54S/840 PSD LF1 PI5 SM2 L1410	-	Safety class I	GRT	LED54S		
910504112803	SP534P LED40S/840 PSD PI5 SM2 L1130 ALU	-	Safety class I	-	LED40S		
910504112903	SP534P LED50S/840 PSD PI5 SM2 L1410 ALU	-	Safety class I	-	LED50S		

General Information (2/2)

Order Code	Full Product Name	Embedded control	Product		
			Family Code	Standard RAL color	Type description
910504097203	SP530P LED34S/840 PSD PI5 SM2 L1130 ALU	-	SP530P	-	Office compliant version
910504097303	SP530P LED40S/840 PSD PI5 SM2 L1130 ALU	-	SP530P	-	Office compliant version

TrueLine, suspended

Order Code	Full Product Name	Embedded control	Product		
			Family Code	Standard RAL color	Type description
910504097403	SP532P LED49S/840 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504097503	SP532P LED58S/840 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504098203	SP532P LED49S/830 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504099903	SP530P LED43S/840 PSD PI5 SM2 L1410 ALU	-	SP530P	-	Office compliant version
910504100003	SP530P LED50S/840 PSD PI5 SM2 L1410 ALU	-	SP530P	-	Office compliant version
910504100303	SP532P LED66S/840 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504100403	SP532P LED66S/830 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504100503	SP532P LED77S/840 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504101403	SP530P LED25S/840 POE SW2 L1130 ALU	-	SP530P	-	Office compliant version
910504101503	SP532P LED21S/840 POE SW2 L1130 ALU	-	SP532P	-	Office compliant version
910504101603	SP530P LED34S/840 POE SW2 L1130 ALU	-	SP530P	-	Office compliant version
910504102503	SP532P LED21S/840 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504102603	SP532P LED21S/830 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504102703	SP532P LED36S/840 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504102803	SP532P LED36S/830 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504102903	SP532P LED58S/830 PSD PI5 SM2 L1130 ALU	-	SP532P	-	Office compliant version
910504104303	SP532P LED36S/840 PSD PI5 SM2 L1130 9003	-	SP532P	Signal white	Office compliant version

Order Code	Full Product Name	Embedded control	Product		
			Family Code	Standard RAL color	Type description
910504104403	SP532P LED29S/840 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504104503	SP532P LED29S/830 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504104603	SP532P LED47S/840 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504104703	SP532P LED47S/830 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504104803	SP532P LED77S/830 PSD PI5 SM2 L1410 ALU	-	SP532P	-	Office compliant version
910504104903	SP532P LED29S/840 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504105003	SP532P LED29S/830 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504105103	SP532P LED47S/840 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504105203	SP532P LED47S/830 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504105303	SP532P LED66S/840 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504105403	SP532P LED66S/830 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504105503	SP532P LED77S/840 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504105603	SP532P LED77S/830 PSD PI5 SM2 L1410 9003	-	SP532P	Signal white	Office compliant version
910504106003	SP532P LED29S/840 PSD LE1 PI5 SM2 L1410	-	SP532P	-	Office compliant version
910504106103	SP532P LED29S/840 PSD LF1 PI5 SM2 L1410	-	SP532P	-	Office compliant version
910504106203	SP532P LED47S/840 PSD LF1 PI5 SM2 L1410	-	SP532P	-	Office compliant version

TrueLine, suspended

Order Code	Full Product Name	Embedded control	Product		
			Family Code	Standard RAL color	Type description
910504097603	SP531P LED15S/840 PSD PI5 SM2 L1130 ALU	-	SP531P	-	Non office compliant version
910504097703	SP533P LED41S/840 PSD PI5 SM2 L1130 ALU	-	SP533P	-	Non office compliant version
910504098303	SP533P LED24S/830 PSD PI5 SM2 L1130 ALU	-	SP533P	-	Non office compliant version
910504100203	SP531P LED19S/840 PSD PI5 SM2 L1410 ALU	-	SP531P	-	Non office compliant version
910504101003	SP533P LED54S/840 PSD PI5 SM2 L1410 ALU	-	SP533P	-	Non office compliant version
910504101103	SP533P LED33S/830 PSD PI5 SM2 L1410 ALU	-	SP533P	-	Non office compliant version
910504101803	SP531P LED15S/840 POE SW2 L1130 ALU	-	SP531P	-	Non office compliant version
910504101903	SP531P LED25S/840 POE SW2 L1130 ALU	-	SP531P	-	Non office compliant version
910504102003	SP533P LED24S/840 POE SW2 L1130 ALU	-	SP533P	-	Non office compliant version
910504103503	SP533P LED24S/840 PSD PI5 SM2 L1130 ALU	-	SP533P	-	Non office compliant version
910504103603	SP533P LED41S/830 PSD PI5 SM2 L1130 ALU	-	SP533P	-	Non office compliant version
910504106303	SP533P LED33S/840 PSD PI5 SM2 L1410 ALU	-	SP533P	-	Non office compliant version
910504106403	SP533P LED54S/830 PSD PI5 SM2 L1410 ALU	-	SP533P	-	Non office compliant version
910504106503	SP533P LED33S/840 PSD PI5 SM2 L1410 9003	-	SP533P	Signal white	Non office compliant version
910504106603	SP533P LED33S/830 PSD PI5 SM2 L1410 9003	-	SP533P	Signal white	Non office compliant version
910504106703	SP533P LED54S/840 PSD PI5 SM2 L1410 9003	-	SP533P	Signal white	Non office compliant version

Order Code	Full Product Name	Embedded control	Product		
			Family Code	Standard RAL color	Type description
910504106803	SP533P LED54S/830 PSD PI5 SM2 L1410 9003	-	SP533P	Signal white	Non office compliant version
910504097803	SP530P LED40S/840 PSD ACL SM2 L1170 ALU	ActiLume	SP530P	-	Office compliant version
910504097903	SP532P LED58S/840 PSD ACL SM2 L1170 ALU	ActiLume	SP532P	-	Office compliant version
910504100103	SP530P LED50S/840 PSD ACL SM2 L1450 ALU	ActiLume	SP530P	-	Office compliant version
910504100603	SP532P LED77S/840 PSD ACL SM2 L1450 ALU	ActiLume	SP532P	-	Office compliant version
910504101703	SP532P LED36S/840 POE ACL SW2 L1170 ALU	ActiLume	SP532P	-	Office compliant version
910504103003	SP532P LED21S/840 PSD ACL PI5 SM2 L1170	ActiLume	SP532P	-	Office compliant version
910504103103	SP532P LED36S/840 PSD ACL PI5 SM2 L1170	ActiLume	SP532P	-	Office compliant version
910504103203	SP532P LED49S/840 PSD ACL PI5 SM2 L1170	ActiLume	SP532P	-	Office compliant version
910504105703	SP532P LED29S/840 PSD ACL SM2 L1450 ALU	ActiLume	SP532P	-	Office compliant version
910504105803	SP532P LED47S/840 PSD ACL SM2 L1450 ALU	ActiLume	SP532P	-	Office compliant version
910504105903	SP532P LED66S/840 PSD ACL SM2 L1450 ALU	ActiLume	SP532P	-	Office compliant version
910504106903	SP533P LED33S/840 PSD ACL PI5 SM2 L1450	ActiLume	SP533P	-	Non office compliant version
910504107003	SP533P LED54S/840 PSD ACL PI5 SM2 L1450	ActiLume	SP533P	-	Non office compliant version
910504098003	SP532P LED36S/840 PSD LE1 PI7 SM2 L1130	-	SP532P	-	Office compliant version
910504098103	SP532P LED36S/840 PSD LF1 PI7 SMTT L1130	-	SP532P	-	Office compliant version

TrueLine, suspended

Order Code	Full Product Name	Embedded control	Product		
			Family Code	Standard RAL color	Type description
910504098403	SP532P LED36S/840 PSD LF1 PI7 SW2 L1130	-	SP532P	-	Office compliant version
910504100703	SP532P LED47S/840 PSD LE1 PI5 SM2 L1410	-	SP532P	-	Office compliant version
910504100803	SP532P LED47S/840 PSD LF1 PI5 SMTT L1410	-	SP532P	-	Office compliant version
910504100903	SP532P LED47S/840 PSD LF1 PI5 SW2 L1410	-	SP532P	-	Office compliant version
910504113003	SP534P LED34S/840 PSD LE1 PI5 SM2 L1130	-	SP534P	-	Office compliant version
910504113103	SP534P LED34S/840 PSD LF1 PI5 SM2 L1130	-	SP534P	-	Office compliant version
910504113203	SP534P LED40S/840 PSD LE1 PI5 SM2 L1130	-	SP534P	-	Office compliant version
910504113303	SP534P LED40S/840 PSD LF1 PI5 SM2 L1130	-	SP534P	-	Office compliant version
910504113403	SP534P LED43S/840 PSD LE1 PI5 SM2 L1410	-	SP534P	-	Office compliant version
910504113503	SP534P LED43S/840 PSD LF1 PI5 SM2 L1410	-	SP534P	-	Office compliant version

Order Code	Full Product Name	Embedded control	Product		
			Family Code	Standard RAL color	Type description
910504113603	SP534P LED50S/840 PSD LE1 PI5 SM2 L1410	-	SP534P	-	Office compliant version
910504113703	SP534P LED50S/840 PSD LF1 PI5 SM2 L1410	-	SP534P	-	Office compliant version
910504103703	SP533P LED24S/840 PSD ACL PI5 SM2 L1170	ActiLume	SP533P	-	Non office compliant version
910504103803	SP533P LED41S/840 PSD ACL PI5 SM2 L1170	ActiLume	SP533P	-	Non office compliant version
910504107103	SP533P LED33S/840 PSD LE1 PI5 SM2 L1410	-	SP533P	-	Non office compliant version
910504107203	SP533P LED54S/840 PSD LE1 PI5 SM2 L1410	-	SP533P	-	Non office compliant version
910504107303	SP533P LED33S/840 PSD LF1 PI5 SM2 L1410	-	SP533P	-	Non office compliant version
910504107403	SP533P LED54S/840 PSD LF1 PI5 SM2 L1410	-	SP533P	-	Non office compliant version
910504112803	SP534P LED40S/840 PSD PI5 SM2 L1130 ALU	-	SP534P	-	Office compliant version
910504112903	SP534P LED50S/840 PSD PI5 SM2 L1410 ALU	-	SP534P	-	Office compliant version

Initial Performance (IEC Compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED	Initial
			Color Temperature	luminaire efficacy	luminous flux
910504097203	SP530P LED34S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	142 lm/W	3400 lm
910504097303	SP530P LED40S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	138 lm/W	4000 lm
910504097403	SP532P LED49S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	132 lm/W	4950 lm
910504097503	SP532P LED58S/840	(0.38, 0.38) SDCM <3	4000 K	138 lm/W	5850 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED	Initial
			Color Temperature	luminaire efficacy	luminous flux
	PSD PI5 SM2 L1130 ALU				
910504098203	SP532P LED49S/830 PSD PI5 SM2 L1130 ALU	(0.43, 0.40) SDCM <3	3000 K	132 lm/W	4950 lm
910504099903	SP530P LED43S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	134 lm/W	4300 lm
910504100003	SP530P LED50S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	130 lm/W	5000 lm

TrueLine, suspended

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
910504100303	SP532P LED66S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	132 lm/W	6600 lm
910504100403	SP532P LED66S/830 PSD PI5 SM2 L1410 ALU	(0.43, 0.40) SDCM <3	3000 K	125 lm/W	6600 lm
910504100503	SP532P LED77S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	128 lm/W	7700 lm
910504101403	SP530P LED25S/840 POE SW2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	147 lm/W	2500 lm
910504101503	SP532P LED21S/840 POE SW2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	159 lm/W	2160 lm
910504101603	SP530P LED34S/840 POE SW2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	142 lm/W	3400 lm
910504102503	SP532P LED21S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	142 lm/W	2160 lm
910504102603	SP532P LED21S/830 PSD PI5 SM2 L1130 ALU	(0.43, 0.40) SDCM <3	3000 K	142 lm/W	2160 lm
910504102703	SP532P LED36S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	141 lm/W	3600 lm
910504102803	SP532P LED36S/830 PSD PI5 SM2 L1130 ALU	(0.43, 0.40) SDCM <3	3000 K	136 lm/W	3600 lm
910504102903	SP532P LED58S/830 PSD PI5 SM2 L1130 ALU	(0.43, 0.40) SDCM <3	3000 K	131 lm/W	5850 lm
910504104303	SP532P LED36S/840 PSD PI5 SM2 L1130 9003	(0.38, 0.38) SDCM <3	4000 K	141 lm/W	3600 lm
910504104403	SP532P LED29S/840	(0.38, 0.38) SDCM <3	4000 K	151 lm/W	2900 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD PI5 SM2 L1410 ALU				
910504104503	SP532P LED29S/830 PSD PI5 SM2 L1410 ALU	(0.43, 0.40) SDCM <3	3000 K	145 lm/W	2900 lm
910504104603	SP532P LED47S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	140 lm/W	4750 lm
910504104703	SP532P LED47S/830 PSD PI5 SM2 L1410 ALU	(0.43, 0.40) SDCM <3	3000 K	132 lm/W	4750 lm
910504104803	SP532P LED77S/830 PSD PI5 SM2 L1410 ALU	(0.43, 0.40) SDCM <3	3000 K	120 lm/W	7700 lm
910504104903	SP532P LED29S/840 PSD PI5 SM2 L1410 9003	(0.38, 0.38) SDCM <3	4000 K	151 lm/W	2900 lm
910504105003	SP532P LED29S/830 PSD PI5 SM2 L1410 9003	(0.43, 0.40) SDCM <3	3000 K	145 lm/W	2900 lm
910504105103	SP532P LED47S/840 PSD PI5 SM2 L1410 9003	(0.38, 0.38) SDCM <3	4000 K	140 lm/W	4750 lm
910504105203	SP532P LED47S/830 PSD PI5 SM2 L1410 9003	(0.43, 0.40) SDCM <3	3000 K	132 lm/W	4750 lm
910504105303	SP532P LED66S/840 PSD PI5 SM2 L1410 9003	(0.38, 0.38) SDCM <3	4000 K	132 lm/W	6600 lm
910504105403	SP532P LED66S/830 PSD PI5 SM2 L1410 9003	(0.43, 0.40) SDCM <3	3000 K	125 lm/W	6600 lm
910504105503	SP532P LED77S/840 PSD PI5 SM2 L1410 9003	(0.38, 0.38) SDCM <3	4000 K	128 lm/W	7700 lm
910504105603	SP532P LED77S/830 PSD PI5 SM2 L1410 9003	(0.43, 0.40) SDCM <3	3000 K	120 lm/W	7700 lm

TrueLine, suspended

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
910504106003	SP532P LED29S/840 PSD LE1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	151 lm/W	2900 lm
910504106103	SP532P LED29S/840 PSD LF1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	151 lm/W	2900 lm
910504106203	SP532P LED47S/840 PSD LF1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	140 lm/W	4750 lm
910504097603	SP531P LED15S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	103 lm/W	1500 lm
910504097703	SP533P LED41S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	114 lm/W	4100 lm
910504098303	SP533P LED24S/830 PSD PI5 SM2 L1130 ALU	(0.43, 0.40) SDCM <3	3000 K	109 lm/W	2440 lm
910504100203	SP531P LED19S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	107 lm/W	1900 lm
910504101003	SP533P LED54S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	5400 lm
910504101103	SP533P LED33S/830 PSD PI5 SM2 L1410 ALU	(0.43, 0.40) SDCM <3	3000 K	106 lm/W	3300 lm
910504101803	SP531P LED15S/840 POE SW2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	109 lm/W	1500 lm
910504101903	SP531P LED25S/840 POE SW2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	100 lm/W	2500 lm
910504102003	SP533P LED24S/840 POE SW2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	122 lm/W	2440 lm
910504103503	SP533P LED24S/840	(0.38, 0.38) SDCM <3	4000 K	116 lm/W	2440 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD PI5 SM2 L1130 ALU				
910504103603	SP533P LED41S/830 PSD PI5 SM2 L1130 ALU	(0.43, 0.40) SDCM <3	3000 K	106 lm/W	4100 lm
910504106303	SP533P LED33S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	114 lm/W	3300 lm
910504106403	SP533P LED54S/830 PSD PI5 SM2 L1410 ALU	(0.43, 0.40) SDCM <3	3000 K	98 lm/W	5400 lm
910504106503	SP533P LED33S/840 PSD PI5 SM2 L1410 9003	(0.38, 0.38) SDCM <3	4000 K	114 lm/W	3300 lm
910504106603	SP533P LED33S/830 PSD PI5 SM2 L1410 9003	(0.43, 0.40) SDCM <3	3000 K	106 lm/W	3300 lm
910504106703	SP533P LED54S/840 PSD PI5 SM2 L1410 9003	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	5400 lm
910504106803	SP533P LED54S/830 PSD PI5 SM2 L1410 9003	(0.43, 0.40) SDCM <3	3000 K	98 lm/W	5400 lm
910504097803	SP530P LED40S/840 PSD ACL SM2 L1170 ALU	(0.38, 0.38) SDCM <3	4000 K	133 lm/W	4000 lm
910504097903	SP532P LED58S/840 PSD ACL SM2 L1170 ALU	(0.38, 0.38) SDCM <3	4000 K	134 lm/W	5850 lm
910504100103	SP530P LED50S/840 PSD ACL SM2 L1450 ALU	(0.38, 0.38) SDCM <3	4000 K	127 lm/W	5000 lm
910504100603	SP532P LED77S/840 PSD ACL SM2 L1450 ALU	(0.38, 0.38) SDCM <3	4000 K	126 lm/W	7700 lm
910504101703	SP532P LED36S/840 POE ACL SW2 L1170 ALU	(0.38, 0.38) SDCM <3	4000 K	138 lm/W	3600 lm

TrueLine, suspended

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
910504103003	SP532P LED21S/840 PSD ACL PI5 SM2 L1170	(0.38, 0.38) SDCM <3	4000 K	133 lm/W	2160 lm
910504103103	SP532P LED36S/840 PSD ACL PI5 SM2 L1170	(0.38, 0.38) SDCM <3	4000 K	136 lm/W	3600 lm
910504103203	SP532P LED49S/840 PSD ACL PI5 SM2 L1170	(0.38, 0.38) SDCM <3	4000 K	136 lm/W	4950 lm
910504105703	SP532P LED29S/840 PSD ACL SM2 L1450 ALU	(0.38, 0.38) SDCM <3	4000 K	144 lm/W	2900 lm
910504105803	SP532P LED47S/840 PSD ACL SM2 L1450 ALU	(0.38, 0.38) SDCM <3	4000 K	136 lm/W	4750 lm
910504105903	SP532P LED66S/840 PSD ACL SM2 L1450 ALU	(0.38, 0.38) SDCM <3	4000 K	129 lm/W	6600 lm
910504106903	SP533P LED33S/840 PSD ACL PI5 SM2 L1450	(0.38, 0.38) SDCM <3	4000 K	110 lm/W	3300 lm
910504107003	SP533P LED54S/840 PSD ACL PI5 SM2 L1450	(0.38, 0.38) SDCM <3	4000 K	104 lm/W	5400 lm
910504098003	SP532P LED36S/840 PSD LE1 PI7 SM2 L1130	(0.38, 0.38) SDCM <3	4000 K	141 lm/W	3600 lm
910504098103	SP532P LED36S/840 PSD LF1 PI7 SMTT L1130	(0.38, 0.38) SDCM <3	4000 K	141 lm/W	3600 lm
910504098403	SP532P LED36S/840 PSD LF1 PI7 SW2 L1130	(0.38, 0.38) SDCM <3	4000 K	141 lm/W	3600 lm
910504100703	SP532P LED47S/840 PSD LE1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	140 lm/W	4750 lm
910504100803	SP532P LED47S/840	(0.38, 0.38) SDCM <3	4000 K	140 lm/W	4750 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD LF1 PI5 SMTT L1410				
910504100903	SP532P LED47S/840 PSD LF1 PI5 SW2 L1410	(0.38, 0.38) SDCM <3	4000 K	140 lm/W	4750 lm
910504113003	SP534P LED34S/840 PSD LE1 PI5 SM2 L1130	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	3400 lm
910504113103	SP534P LED34S/840 PSD LF1 PI5 SM2 L1130	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	3400 lm
910504113203	SP534P LED40S/840 PSD LE1 PI5 SM2 L1130	(0.38, 0.38) SDCM <3	4000 K	116 lm/W	4000 lm
910504113303	SP534P LED40S/840 PSD LF1 PI5 SM2 L1130	(0.38, 0.38) SDCM <3	4000 K	116 lm/W	4000 lm
910504113403	SP534P LED43S/840 PSD LE1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	4300 lm
910504113503	SP534P LED43S/840 PSD LF1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	4300 lm
910504113603	SP534P LED50S/840 PSD LE1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	118 lm/W	5000 lm
910504113703	SP534P LED50S/840 PSD LF1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	118 lm/W	5000 lm
910504103703	SP533P LED24S/840 PSD ACL PI5 SM2 L1170	(0.38, 0.38) SDCM <3	4000 K	111 lm/W	2440 lm
910504103803	SP533P LED41S/840 PSD ACL PI5 SM2 L1170	(0.38, 0.38) SDCM <3	4000 K	111 lm/W	4100 lm
910504107103	SP533P LED33S/840 PSD LE1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	114 lm/W	3300 lm

TrueLine, suspended

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
910504107203	SP533P LED54S/840 PSD LE1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	5400 lm
910504107303	SP533P LED33S/840 PSD LF1 PI5 SM2 L1410	(0.38, 0.38) SDCM <3	4000 K	114 lm/W	3300 lm
910504107403	SP533P LED54S/840	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	5400 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD LF1 PI5 SM2 L1410				
910504112803	SP534P LED40S/840 PSD PI5 SM2 L1130 ALU	(0.38, 0.38) SDCM <3	4000 K	116 lm/W	4000 lm
910504112903	SP534P LED50S/840 PSD PI5 SM2 L1410 ALU	(0.38, 0.38) SDCM <3	4000 K	118 lm/W	5000 lm

Initial Performance (IEC Compliant) (2/2)

Order Code	Full Product Name	Initial input power
910504097203	SP530P LED34S/840 PSD PI5 SM2 L1130 ALU	24 W
910504097303	SP530P LED40S/840 PSD PI5 SM2 L1130 ALU	29 W
910504097403	SP532P LED49S/840 PSD PI5 SM2 L1130 ALU	35.5 W
910504097503	SP532P LED58S/840 PSD PI5 SM2 L1130 ALU	42.5 W
910504098203	SP532P LED49S/830 PSD PI5 SM2 L1130 ALU	37.5 W
910504099903	SP530P LED43S/840 PSD PI5 SM2 L1410 ALU	32 W
910504100003	SP530P LED50S/840 PSD PI5 SM2 L1410 ALU	38.5 W
910504100303	SP532P LED66S/840 PSD PI5 SM2 L1410 ALU	50 W
910504100403	SP532P LED66S/830 PSD PI5 SM2 L1410 ALU	53 W
910504100503	SP532P LED77S/840 PSD PI5 SM2 L1410 ALU	60 W
910504101403	SP530P LED25S/840 POE SW2 L1130 ALU	17 W
910504101503	SP532P LED21S/840 POE SW2 L1130 ALU	13.6 W
910504101603	SP530P LED34S/840 POE SW2 L1130 ALU	24 W
910504102503	SP532P LED21S/840 PSD PI5 SM2 L1130 ALU	15.2 W
910504102603	SP532P LED21S/830 PSD PI5 SM2 L1130 ALU	15.2 W
910504102703	SP532P LED36S/840 PSD PI5 SM2 L1130 ALU	25.5 W
910504102803	SP532P LED36S/830 PSD PI5 SM2 L1130 ALU	26.5 W
910504102903	SP532P LED58S/830 PSD PI5 SM2 L1130 ALU	44.5 W
910504104303	SP532P LED36S/840 PSD PI5 SM2 L1130 9003	25.5 W
910504104403	SP532P LED29S/840 PSD PI5 SM2 L1410 ALU	19.2 W
910504104503	SP532P LED29S/830 PSD PI5 SM2 L1410 ALU	20 W
910504104603	SP532P LED47S/840 PSD PI5 SM2 L1410 ALU	34 W
910504104703	SP532P LED47S/830 PSD PI5 SM2 L1410 ALU	36 W
910504104803	SP532P LED77S/830 PSD PI5 SM2 L1410 ALU	64 W
910504104903	SP532P LED29S/840 PSD PI5 SM2 L1410 9003	19.2 W
910504105003	SP532P LED29S/830 PSD PI5 SM2 L1410 9003	20 W
910504105103	SP532P LED47S/840 PSD PI5 SM2 L1410 9003	34 W
910504105203	SP532P LED47S/830 PSD PI5 SM2 L1410 9003	36 W
910504105303	SP532P LED66S/840 PSD PI5 SM2 L1410 9003	50 W
910504105403	SP532P LED66S/830 PSD PI5 SM2 L1410 9003	53 W
910504105503	SP532P LED77S/840 PSD PI5 SM2 L1410 9003	60 W
910504105603	SP532P LED77S/830 PSD PI5 SM2 L1410 9003	64 W
910504106003	SP532P LED29S/840 PSD LE1 PI5 SM2 L1410	19.2 W
910504106103	SP532P LED29S/840 PSD LF1 PI5 SM2 L1410	19.2 W
910504106203	SP532P LED47S/840 PSD LF1 PI5 SM2 L1410	34 W
910504097603	SP531P LED15S/840 PSD PI5 SM2 L1130 ALU	14.6 W

Order Code	Full Product Name	Initial input power
910504097703	SP533P LED41S/840 PSD PI5 SM2 L1130 ALU	36 W
910504098303	SP533P LED24S/830 PSD PI5 SM2 L1130 ALU	22 W
910504100203	SP531P LED19S/840 PSD PI5 SM2 L1410 ALU	17.8 W
910504101003	SP533P LED54S/840 PSD PI5 SM2 L1410 ALU	51 W
910504101103	SP533P LED33S/830 PSD PI5 SM2 L1410 ALU	31 W
910504101803	SP531P LED15S/840 POE SW2 L1130 ALU	13.8 W
910504101903	SP531P LED25S/840 POE SW2 L1130 ALU	25 W
910504102003	SP533P LED24S/840 POE SW2 L1130 ALU	20 W
910504103503	SP533P LED24S/840 PSD PI5 SM2 L1130 ALU	21 W
910504103603	SP533P LED41S/830 PSD PI5 SM2 L1130 ALU	38.5 W
910504106303	SP533P LED33S/840 PSD PI5 SM2 L1410 ALU	29 W
910504106403	SP533P LED54S/830 PSD PI5 SM2 L1410 ALU	55 W
910504106503	SP533P LED33S/840 PSD PI5 SM2 L1410 9003	29 W
910504106603	SP533P LED33S/830 PSD PI5 SM2 L1410 9003	31 W
910504106703	SP533P LED54S/840 PSD PI5 SM2 L1410 9003	51 W
910504106803	SP533P LED54S/830 PSD PI5 SM2 L1410 9003	55 W
910504097803	SP530P LED40S/840 PSD ACL SM2 L1170 ALU	30 W
910504097903	SP532P LED58S/840 PSD ACL SM2 L1170 ALU	43.5 W
910504100103	SP530P LED50S/840 PSD ACL SM2 L1450 ALU	39.5 W
910504100603	SP532P LED77S/840 PSD ACL SM2 L1450 ALU	61 W
910504101703	SP532P LED36S/840 POE ACL SW2 L1170 ALU	26 W
910504103003	SP532P LED21S/840 PSD ACL PI5 SM2 L1170	16.2 W
910504103103	SP532P LED36S/840 PSD ACL PI5 SM2 L1170	26.5 W
910504103203	SP532P LED49S/840 PSD ACL PI5 SM2 L1170	36.5 W
910504105703	SP532P LED29S/840 PSD ACL SM2 L1450 ALU	20.2 W
910504105803	SP532P LED47S/840 PSD ACL SM2 L1450 ALU	35.5 W
910504105903	SP532P LED66S/840 PSD ACL SM2 L1450 ALU	51 W
910504106903	SP533P LED33S/840 PSD ACL PI5 SM2 L1450	30 W
910504107003	SP533P LED54S/840 PSD ACL PI5 SM2 L1450	52 W
910504098003	SP532P LED36S/840 PSD LE1 PI7 SM2 L1130	25.5 W
910504098103	SP532P LED36S/840 PSD LF1 PI7 SMTT L1130	25.5 W
910504098403	SP532P LED36S/840 PSD LF1 PI7 SW2 L1130	25.5 W
910504100703	SP532P LED47S/840 PSD LE1 PI5 SM2 L1410	34 W
910504100803	SP532P LED47S/840 PSD LF1 PI5 SMTT L1410	34 W
910504100903	SP532P LED47S/840 PSD LF1 PI5 SW2 L1410	34 W
910504113003	SP534P LED34S/840 PSD LE1 PI5 SM2 L1130	28 W

TrueLine, suspended

Order Code	Full Product Name	Initial input power
910504113103	SP534P LED34S/840 PSD LF1 PI5 SM2 L1130	28 W
910504113203	SP534P LED40S/840 PSD LE1 PI5 SM2 L1130	34.5 W
910504113303	SP534P LED40S/840 PSD LF1 PI5 SM2 L1130	34.5 W
910504113403	SP534P LED43S/840 PSD LE1 PI5 SM2 L1410	35.5 W
910504113503	SP534P LED43S/840 PSD LF1 PI5 SM2 L1410	35.5 W
910504113603	SP534P LED50S/840 PSD LE1 PI5 SM2 L1410	42.5 W
910504113703	SP534P LED50S/840 PSD LF1 PI5 SM2 L1410	42.5 W
910504103703	SP533P LED24S/840 PSD ACL PI5 SM2 L1170	22 W

Order Code	Full Product Name	Initial input power
910504103803	SP533P LED41S/840 PSD ACL PI5 SM2 L1170	37 W
910504107103	SP533P LED33S/840 PSD LE1 PI5 SM2 L1410	29 W
910504107203	SP533P LED54S/840 PSD LE1 PI5 SM2 L1410	51 W
910504107303	SP533P LED33S/840 PSD LF1 PI5 SM2 L1410	29 W
910504107403	SP533P LED54S/840 PSD LF1 PI5 SM2 L1410	51 W
910504112803	SP534P LED40S/840 PSD PI5 SM2 L1130 ALU	34.5 W
910504112903	SP534P LED50S/840 PSD PI5 SM2 L1410 ALU	42.5 W

Mechanical and Housing

Order Code	Full Product Name	Color
910504097203	SP530P LED34S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504097303	SP530P LED40S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504097403	SP532P LED49S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504097503	SP532P LED58S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504098203	SP532P LED49S/830 PSD PI5 SM2 L1130 ALU	Aluminum
910504099903	SP530P LED43S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504100003	SP530P LED50S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504100303	SP532P LED66S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504100403	SP532P LED66S/830 PSD PI5 SM2 L1410 ALU	Aluminum
910504100503	SP532P LED77S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504101403	SP530P LED25S/840 POE SW2 L1130 ALU	Aluminum
910504101503	SP532P LED21S/840 POE SW2 L1130 ALU	Aluminum
910504101603	SP530P LED34S/840 POE SW2 L1130 ALU	Aluminum
910504102503	SP532P LED21S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504102603	SP532P LED21S/830 PSD PI5 SM2 L1130 ALU	Aluminum
910504102703	SP532P LED36S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504102803	SP532P LED36S/830 PSD PI5 SM2 L1130 ALU	Aluminum
910504102903	SP532P LED58S/830 PSD PI5 SM2 L1130 ALU	Aluminum
910504104303	SP532P LED36S/840 PSD PI5 SM2 L1130 9003	White
910504104403	SP532P LED29S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504104503	SP532P LED29S/830 PSD PI5 SM2 L1410 ALU	Aluminum
910504104603	SP532P LED47S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504104703	SP532P LED47S/830 PSD PI5 SM2 L1410 ALU	Aluminum
910504104803	SP532P LED77S/830 PSD PI5 SM2 L1410 ALU	Aluminum
910504104903	SP532P LED29S/840 PSD PI5 SM2 L1410 9003	White
910504105003	SP532P LED29S/830 PSD PI5 SM2 L1410 9003	White
910504105103	SP532P LED47S/840 PSD PI5 SM2 L1410 9003	Aluminum
910504105203	SP532P LED47S/830 PSD PI5 SM2 L1410 9003	White
910504105303	SP532P LED66S/840 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504105403	SP532P LED66S/830 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504105503	SP532P LED77S/840 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504105603	SP532P LED77S/830 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504106003	SP532P LED29S/840 PSD LE1 PI5 SM2 L1410	Aluminum
910504106103	SP532P LED29S/840 PSD LF1 PI5 SM2 L1410	Aluminum
910504106203	SP532P LED47S/840 PSD LF1 PI5 SM2 L1410	Aluminum
910504097603	SP531P LED15S/840 PSD PI5 SM2 L1130 ALU	Aluminum

Order Code	Full Product Name	Color
910504097703	SP533P LED41S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504098303	SP533P LED24S/830 PSD PI5 SM2 L1130 ALU	Aluminum
910504100203	SP531P LED19S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504101003	SP533P LED54S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504101103	SP533P LED33S/830 PSD PI5 SM2 L1410 ALU	Aluminum
910504101803	SP531P LED15S/840 POE SW2 L1130 ALU	Aluminum
910504101903	SP531P LED25S/840 POE SW2 L1130 ALU	Aluminum
910504102003	SP533P LED24S/840 POE SW2 L1130 ALU	Aluminum
910504103503	SP533P LED24S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504103603	SP533P LED41S/830 PSD PI5 SM2 L1130 ALU	Aluminum
910504106303	SP533P LED33S/840 PSD PI5 SM2 L1410 ALU	Aluminum
910504106403	SP533P LED54S/830 PSD PI5 SM2 L1410 ALU	Aluminum
910504106503	SP533P LED33S/840 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504106603	SP533P LED33S/830 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504106703	SP533P LED54S/840 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504106803	SP533P LED54S/830 PSD PI5 SM2 L1410 9003	RAL standard (to be defined)
910504097803	SP530P LED40S/840 PSD ACL SM2 L1170 ALU	Aluminum
910504097903	SP532P LED58S/840 PSD ACL SM2 L1170 ALU	Aluminum
910504100103	SP530P LED50S/840 PSD ACL SM2 L1450 ALU	Aluminum
910504100603	SP532P LED77S/840 PSD ACL SM2 L1450 ALU	Aluminum
910504101703	SP532P LED36S/840 POE ACL SW2 L1170 ALU	Aluminum
910504103003	SP532P LED21S/840 PSD ACL PI5 SM2 L1170	Aluminum
910504103103	SP532P LED36S/840 PSD ACL PI5 SM2 L1170	Aluminum
910504103203	SP532P LED49S/840 PSD ACL PI5 SM2 L1170	Aluminum
910504105703	SP532P LED29S/840 PSD ACL SM2 L1450 ALU	Aluminum
910504105803	SP532P LED47S/840 PSD ACL SM2 L1450 ALU	Aluminum
910504105903	SP532P LED66S/840 PSD ACL SM2 L1450 ALU	Aluminum
910504106903	SP533P LED33S/840 PSD ACL PI5 SM2 L1450	Aluminum
910504107003	SP533P LED54S/840 PSD ACL PI5 SM2 L1450	Aluminum
910504098003	SP532P LED36S/840 PSD LE1 PI7 SM2 L1130	Aluminum
910504098103	SP532P LED36S/840 PSD LF1 PI7 SMTT L1130	Aluminum
910504098403	SP532P LED36S/840 PSD LF1 PI7 SW2 L1130	Aluminum
910504100703	SP532P LED47S/840 PSD LE1 PI5 SM2 L1410	Aluminum
910504100803	SP532P LED47S/840 PSD LF1 PI5 SMTT L1410	Aluminum
910504100903	SP532P LED47S/840 PSD LF1 PI5 SW2 L1410	Aluminum
910504113003	SP534P LED34S/840 PSD LE1 PI5 SM2 L1130	Aluminum

TrueLine, suspended

Order Code	Full Product Name	Color
910504113103	SP534P LED34S/840 PSD LF1 PI5 SM2 L1130	Aluminum
910504113203	SP534P LED40S/840 PSD LE1 PI5 SM2 L1130	Aluminum
910504113303	SP534P LED40S/840 PSD LF1 PI5 SM2 L1130	Aluminum
910504113403	SP534P LED43S/840 PSD LE1 PI5 SM2 L1410	Aluminum
910504113503	SP534P LED43S/840 PSD LF1 PI5 SM2 L1410	Aluminum
910504113603	SP534P LED50S/840 PSD LE1 PI5 SM2 L1410	Aluminum
910504113703	SP534P LED50S/840 PSD LF1 PI5 SM2 L1410	Aluminum
910504103703	SP533P LED24S/840 PSD ACL PI5 SM2 L1170	Aluminum

Order Code	Full Product Name	Color
910504103803	SP533P LED41S/840 PSD ACL PI5 SM2 L1170	Aluminum
910504107103	SP533P LED33S/840 PSD LE1 PI5 SM2 L1410	Aluminum
910504107203	SP533P LED54S/840 PSD LE1 PI5 SM2 L1410	Aluminum
910504107303	SP533P LED33S/840 PSD LF1 PI5 SM2 L1410	Aluminum
910504107403	SP533P LED54S/840 PSD LF1 PI5 SM2 L1410	Aluminum
910504112803	SP534P LED40S/840 PSD PI5 SM2 L1130 ALU	Aluminum
910504112903	SP534P LED50S/840 PSD PI5 SM2 L1410 ALU	Aluminum

