

## FIXTURE SPECIFICATIONS

### INTENDED USE

Diecast in steel with an extruded body, our LED light box that mounts on the surface or as a pendant is ideal for showrooms, building lobbies, office spaces or conference room lighting. This downlight is made in the U.S.A. with a 1/16" ultra-thin frame and stretch glow fabric that produces an even and soft glow, and provides up to 8,800 lumens of LED light in the 4-ft by 4-ft body. Ideal for today's commercial, hospitality and residential interiors, our Skybox comes in 1-ft by 1-ft, 2-ft by 2-ft, 3-ft by 3-ft and 4-ft by 4-ft square shapes.

### FEATURES

**Construction:** Die-cast extruded aluminum body

**Lens:** Stretch glow fabric made to produce an even, soft glow and strong color saturation

**Mounting:** Surface mount, 6FT aircraft cable pendant mount & 4FT stem mount options are available.

**Driver:** 0-10V Dimming


**CRI:** 80+

**Voltage:** 120-277V 50/60 Hz

**Power Factor:** >0.90

**Warranty:** 1 years carefree for parts & components (labor not included)

**Listings:** Made in the USA



## ORDERING INFORMATION Example: (11155-S-AC72-9-WH-30K-8)


Model	Mount	Pendant Mount	Size   Wattage   Lumens	Fixture Finish	Color Temp	Dimming Driver	Options
11155	S Surface P Pendant	AC72 72" Adjustable Aircraft Cable  ST48 <sup>1</sup> 48" Stem	9 9" W x 9" L   10W   1000 lms	WH White BK Black SL Silver	30K 3000K	010 0-10V Dimming (120-277V)  TRI/ELV Triac/ELV Dimming at (120V Only)	EM10 Remote 10W Emergency Battery Backup  EM12 Remote 12W Emergency Battery Backup  EM20 Remote 20W Emergency Battery Backup
			12 12" W x 12" L   12W   1200 lms		35K 3500K		
			20 20" W x 20" L   18W   1800 lms		40K 4000K		
			24 <sup>2</sup> 24" W x 24" L   22W   2200 lms		50K 5000K		
			24/48 <sup>2</sup> 24" W x 48" L   44W   4400 lms				
			48 <sup>2</sup> 48" W x 48" L   88W   8800 lms				

<sup>1</sup> Only available for 20" x 20" or Smaller

<sup>2</sup> Available only for Surface Mount

## Dimensions


### Surface/Pendant Mount



DETAIL A  
SCALE 1 : 4

Fixture Size	W <sub>1</sub>	L	W <sub>2</sub>	W <sub>3</sub>	L <sub>2</sub>
24X24	24"	24"	23"	5.5"	10.8"
24X48	24"	48"	23"	5.5"	22.8"

### Stem Mount



Fixture Size	W	L	W <sub>c</sub>	L <sub>c</sub>
9X9	9"	9"	4.5"	4.5"
12X12	12"	12"	6"	6"
20X20	20"	20"	10"	10"



## COLOR TEMPERATURE GUIDE

