

Project Name: _____ Type: _____ Quantity: _____

INTENDED USE

The Pavo 6-Inch LED Wall Mount is a versatile, low-glare architectural lighting fixture designed for both indoor and outdoor use. Ideal for commercial and retail environments, it features dual reflectors that provide both direct and indirect illumination. This 2-directional light enhances architectural details, creates dramatic effects, and delivers high-quality lighting performance.

FEATURES

Construction: Round, one-piece, high-grade aluminum extrusion with a die-cast aluminum top plate.

Tamper Resistant

Adjustable Option: 30° rotation.

Light Engine: LED Chip-On-Board.

Lens: One-piece, round extruded aluminum with a powder coat finish, clear tempered glass, and a silicone O-ring.

Reflector: Glare-free, one-piece, heavy-gauge aluminum.

Mounting: Includes a bracket for direct installation to a 3-1/2" or 4" octagonal electrical junction box.

Voltage: 120V (120-277V available for dimming).

CRI: 84+

Dimming: Universal Dimming System compatible with most 3-wire ELV, 2-wire incandescent, and 5-wire 0-10V fluorescent dimmers.

Life: L70 - 50,000 hours.

Emergency: 90 minutes minimum. Includes remote test switch, plate cover, and junction box.

Listing: ETL/cETL Listed, suitable for wet locations.






Ordering code example: **11226-4-1D-10W-WF60-DIM-40K-WH-EM**

Model	Lumen Output	Beam Spread	Dimming	Color Temp	Finish	Options
11226-4	DIRECT DOWNLIGHT 1D-10W 10W 1000 lms 1D-15W 15W 1500 lms ADJUSTABLE ADJ-9W 9W 700 lms 2-DIRECTION 2D-30W 30W 3000 lms	1 DIRECTION WF60 60° Wide Flood FL45 45° Flood 2 DIRECTION	(Blank) Non-Dimming (120V) DIM Universal Dimming (120-277V)	27K 2700K 30K 3000K 35K 3500K 40K 4000K	WH White BK Black BR Bronze SL Silver	EM Remote Emergency Back-up Battery DS^{1,2} Daylight Sensor

¹Only compatible with Non-Dimming (120V Option)

²Not compatible with 2-Direction fixture

DIMENSIONS



COLOR TEMPERATURE GUIDE

2700K	3000K	3500K	4000K	5000K
WARM WHITE	SOFT WHITE GLOW	NEUTRAL GLOW	DAYLIGHT GLOW	CRYSTAL WHITE GLOW
friendly personal intimate	soft warm pleasing	sociable inviting non-threatening	neat clean efficient	bright cool alert
HOMES LIBRARIES RESTAURANTS	HOMES HOTEL ROOMS LOBBIES RETAIL STORES	EXECUTIVE OFFICES RECEPTION AREAS SUPERMARKETS	OFFICES CLASSROOMS MASS MERCHANTISERS SHOWROOMS	GRAPHICS INDUSTRY HOSPITALS GALLERIES BEAUTY SALONS
✓	✓	✓	✓	✗