

FIXTURE SPECIFICATIONS

INTENDED USE

Ideal for commercial, including hospitality, interiors, these refined squares of suspended illumination mounts on the ceiling surface to create a distinctive chandelier. With adjustable light color in lighting framed in seamless aluminum, our architectural-grade product's both versatile and powerful.

FEATURES

Color Temperature: Features the ability to switch color temps from 3000K, 3500K and 4000K.

Construction: Seamless Aluminum Frame

Beam Angle: 120°

Lens: High Transmittance Acrylic

Voltage: 100-277V

Power factor: ≥0.97

CRI: 80+



Dimming: 0-10V Dimmable

Life: 50,000-hour at 25°C


Operating Temperature: -40°C to 45°C, -40°F to 122°F

Warranty: 5 Years Carefree for Parts & Components (Labor Not Included)


Listings: cULus, FCC listed




1 Tier Dimensions



2 Tier Dimensions



3 Tier Dimensions




ORDERING INFORMATION Example: (12278-1-WH)


Model	Squares	Finish	Options
12278 Surface Mount	<p>1 Tier 1 14.5" x 15.7" 20 Watts 1800 Lumen</p> <p>2 Tier 2 14.5" x 14.5" + 12.5" x 16.5" 40 Watts 3600 Lumen</p> <p>3 Tier 3 12.6" x 12.6" + 14.5" x 14.5" + 12.5" x 16.5" 60 Watts 5400 Lumen</p>	<p>Standard</p> <p>WH White</p> <p>BK Black</p> <p>SL Silver</p> <p>BR Oil Rubbed Bronze</p> <p>Premium</p> <p>OR Hermes Orange</p> <p>YE Bijan Yellow</p> <p>RE Fire Engine Red</p> <p>Plated</p> <p>PL Platinum</p> <p>RG Rose Gold</p> <p>BG Burnished Gold</p>	<p>REMS 5 Watt Remote Emergency Backup Battery</p> <p>REM10 10 Watt Remote Emergency Backup Battery</p> <p>REM17 17 Watt Remote Emergency Backup Battery</p>

1 & 2 TIER INSTALLATION INSTRUCTIONS

1 Tier



2 Tier



3 TIER INSTALLATION INSTRUCTIONS

3 Tier

