

Project Name: \_\_\_\_\_ Type: \_\_\_\_\_ Quantity: \_\_\_\_\_

### INTENDED USE

Our Architectural Wall Wash LED Track Light features a frosted lens for even light distribution, ensuring optimal illumination for retail spaces and art displays. Designed for versatility, it includes a durable polycarbonate adapter with a copper conductor track head, standard in H-style, with J-style (Juno) and L-style (Lightolier) options available. The die-cast aluminum driver housing provides superior heat management for long-lasting performance. With a 180° tilt and 358° rotation, this fixture offers precise adjustability, making it an ideal solution for accent lighting and wall washing applications.



13126-6



13126-12



13126-20



13126-26

### FEATURES

- Construction:** Die-cast aluminum housing with exceptional heat management
- Lens:** Frosted Polycarbonate
- Track Head:** Polycarbonate adapter with copper conductor
- Color Temperature:** 27/30/35/40/50K Selectable Switch
- CRI:** 90+
- Voltage:** 120V
- Driver:** Flicker-Free Triac and ELV dimmable down to 10%
- Power Factor** > 0.9
- Adjustability:** 180° tilt, 358° rotation
- Mounting:** Compatible with H-Style 1 & 2 circuit tracks, and monopoint canopy
- Track Channel Type:** 1 and 2-Circuit/1-Neutral
- Life:** 50,000 Hours
- Listing:** cULus Listed, meets Title 24, JA8-2022 Requirements
- Warranty:** 5 years carefree for parts & components (Labor not included).



### ORDERING INFORMATION Example:


Model	Mounting	Size   Wattage   Lumens	Finish
13126	H Halo Trac	6 <sup>2</sup> 6 Inch   14W   1000 lm	BK Black WH White
	L Lightolier Track	12 12 Inch   20W   1550 lm	
	J Juno Track	20 20 Inch   40W   2500 lm	
	MR <sup>1</sup> Round Monopoint	26 26 Inch   58W   4000 lm	
	MS <sup>1</sup> Square Monopoint		

<sup>1</sup> Not available in 26 Inch size. See monopoint further information on page 3  
<sup>2</sup> Only available in Color Temperature 30/35/40K Selectable Switch


## PRODUCT FAMILY

Model	Product Type
<a href="#">13000-TC</a>	Track Channel
<a href="#">13000-LC</a>	Linear Connector
<a href="#">13000-OA</a>	Outlet Adapter
<a href="#">13000-SC</a>	Slope Ceiling Track Adapter
<a href="#">13000-TB</a>	T-Bar End Feed
<a href="#">13000-FC</a>	Floating Canopy Connector
<a href="#">13000-EC</a>	End Cap
<a href="#">13000-LC</a>	Live End with Canopy
<a href="#">13000-LE</a>	Live End
<a href="#">13000-L</a>	L-Connector
<a href="#">13000-T</a>	T-Connector
<a href="#">13000-X</a>	X-Connector
<a href="#">13000-MC</a>	Mini Connector
<a href="#">13000-CP</a>	Cord and Plug Connector
<a href="#">13000-PA</a>	Pendant Adapter
<a href="#">13000-CC</a>	Conduit Connector
<a href="#">13000-CK</a>	Conduit Continuation Kit


## LINE DRAWINGS




13126-6



13126-20




13126-12




13126-26

### Round



### Square



## COLOR TEMPERATURE GUIDE

<b>2700K</b>	<b>3000K</b>	<b>3500K</b>	<b>4000K</b>	<b>5000K</b>
<b>WARM WHITE</b>	<b>SOFT WHITE GLOW</b>	<b>NEUTRAL GLOW</b>	<b>COOL WHITE GLOW</b>	<b>DAYLIGHT GLOW</b>
friendly personal intimate	soft warm pleasing	sociable inviting non-threatening	neat clean efficient	bright cool alert
HOMES LIBRARIES RESTAURANTS	HOMES HOTEL ROOMS LOBBIES RETAIL STORES	EXECUTIVE OFFICES RECEPTION AREAS SUPERMARKETS	OFFICES CLASSROOMS MASS MERCHANTISERS SHOWROOMS	GRAPHICS INDUSTRY HOSPITALS GALLERIES BEAUTY SALONS
✓	✓	✓	✓	✓