SPECIFICATION SHEET

Project Name: ______ Type: ____ Quantity: ___

INTENDED USE

This architectural LED miniature recessed in-ground light offers a sleek, modern design with energy-efficient illumination. Ideal for upscale interiors seeking discreet lighting in floors, walls, or ceilings, it's perfect for lobbies, galleries, retail spaces, and other architectural settings.

FEATURES

Construction: 316 Stainless Steel with Tempered Glass

Dimensions: 0.91" L x 0.91" W x 1.38" H

Cable Length: 43.30"

Drill Size: 3/4" Wattage: 1W

Color Temperature: 22/27/30K

Lumens: 100 lm

Input: 350mA - Constant Current

Beam Spread: 20°, 60°

Mounting: Aluminum Sleeve or Spring Clip **Dimming:** Available only with 350mA

CRI: 80+

Life: 50,000 hours

Warranty: 2 Years carefree for parts & components

(Labor not included)

Listings: ETL, and RoHS listed. IP68 rated suitable for submersible locations. IK10 rated for impact protection







Spring Clips

Aluminum Sleeve


















ORDERING INFORMATION Example:

Model	Beam Spread	Color Temp	Mounting
14109	20 20° Spot 60 60° Flood	22K 2200K 27K 2700K 30K 3000K	AS Aluminum Sleeve SC Spring Clip




LINE DRAWINGS & DIMENSIONS







Recessed LED for Reduced Glare



PHOTOMETRY

