

### SPECIFICATION SHEET

Project Name:

Type: \_\_\_\_\_ Quantity:


# INTENDED USE

Our rustic outdoor gooseneck LED sign and barn light enhances the welcoming appeal of any exterior. Constructed of 18 gauge cold-rolled steel, it has a powder coated or galvanized finish in one of twelve color options. Features an 11-inch diameter and is perfect for illuminating commercial signage, entryways, and structures.

## FEATURES

Construction: Heavy gauge cold-rolled steel, zinc plate and coated with genuine powder or electro plating. Galvanized finish is hot zinc dip Mounting: Die cast aluminum with 1/2" N.P.T or 3/4" N.P.T accepts conduit pipe Voltage: 120V, 120-277V Dimming: Non-dimming CRI: 70+ Beam Angle: 75° Warranty: 1 year carefree for parts and components (Labor not included) Listings: Suitable for wet locations, ETL Listed, Made in the USA







#### ORDERING INFORMATION Example:

1	-	1	-	1	-		_	I	-	I
Model	Wattage   Lumen		Arm Length		Voltage		Color Temp		Finish	
15242	15 19 30	15W   1500 lm 19W   2200 lm 30W   3000 lm	24 <sup>std.</sup> 36 48	24-Inch 36-Inch 48-Inch	Blank UNI	120V 120-277V	30K 35K 40K 50K	3000K 3500K 4000K 5000K	WH BK RD BL GR YE PC PCH DB GA SC SN RAL#	White Black Red Blue Green Yellow Paint Copper Paint Chrome Dark Bronze Galvanized Satin Copper Satin Nickel Specify RAL # (Pg. 2)



#### **AVAILABLE FINISHES**

Standard	
	White
	Black
	Red
	Blue
	Green
	Yellow

Set up fee and longer lead time will be applied on non-standard finishes.

#### Metropolitan

 Purple Red	RAL #3004
Carmine Red	RAL #3002
Slate	RAL #7031
Tech Grey	RAL #7016
Chocolate Spice	RAL #8017
Urban Native	RAL #8025
Carmin	RAL #8028
Reseda Green	RAL #6011

# Choose your preferred <u>RAL color</u>

	Paint Copper
1011 Martin	Paint Chrome
Sec. 22 Sec.	Dark Bronze
	Galvanized
	Satin Copper
the state of the	Satin Nickel

#### Vibrant

Violet Dreams	RAL #4006
Rose	RAL #3017
Pure Orange	RAL #2004
Traffic Yellow	RAL #1023
Daisy	RAL #1018
Antique Spring	RAL #6019
Island Skye	RAL #6027
Sky Blue	RAL #5015





