

SPECIFICATION SHEET

Project Name:	Type:	Quantity:

INTENDED USE

The Mounting Channel for Flexible Linear LED Strips offers a streamlined solution for integrating linear lighting into architectural environments. Designed to support flexible LED strips in, walls, millwork, and curved surfaces, it ensures clean lines of light and precise fixture alignment. Its durable aluminum and PVC construction maintains thermal stability and visual continuity across indoor, outdoor, and wet-location applications. Ideal for commercial, hospitality, and residential projects, the channel provides a versatile foundation for modern, continuous illumination.






39FCW

COMPATIBLE FIXTURES:

11261 14145 12102-SS 11251 11251-RGBW

2" SELF-LOCKING ALUMINUM CHANNEL (2AC)



FEATURES

Material: Extruded Aluminum

Length: 2"

Mounting: Surface, Self-Locking Clip

Dimensions: 0.81" W × 0.81" H **Finish:** Natural Aluminum


Suitable For: Compact installations, corners,

and short linear sections

Notes: Eliminates adhesive use; ideal for precision mounting in limited spaces.



39" SELF-LOCKING ALUMINUM CHANNEL (39AC)



FEATURES

Material: Extruded Aluminum

Length: 39"

Mounting: Surface, Self-Locking Clip


Dimensions: 0.81" W × 0.81" H **Finish:** Natural Aluminum


Suitable For: Continuous surface-mounted

runs and clean linear alignments

Notes: Maintains fixture alignment and thermal dissipation; no adhesive required.

39" RECESSED ALUMINUM CHANNEL (39RC)





FEATURES

Material: Extruded Aluminum

Length: 39"

Mounting: Recessed

Dimensions: 0.81" W × 0.81" H **Finish:** Natural Aluminum

Suitable For: Flush integration in ceilings,

walls, and millwork


Notes: Creates smooth, glare-free light lines

for architectural environments.



39" FLEXIBLE MOUNTING CHANNEL WHITE/BLACK (39FCW/39FCB)





FEATURES

Material: Flexible PVC

Length: 39"

Mounting: Surface

Dimensions: 0.98 in W × 0.81 in H

Finish: White, Black

Suitable For: Curved or contoured surfaces; supports horizontal and vertical bending

Notes: Maintains waterproof integrity of compatible fixtures; suitable for indoor or outdoor use. Minimum bend radius 12".

ORDERING INFORMATION Example:

Model

2AC 2" Aluminum Clips 39AC 39" Aluminum Channel 39RC 39" Recessed Channel 39FCW 39" Flexible Channel White 39FCB 39" Flexible Channel Black

Channels and accessories sold separately. Review installation requirements before specifying mounting type.