

Project Name: \_\_\_\_\_ Type: \_\_\_\_\_ Quantity: \_\_\_\_\_

### INTENDED USE

The Architectural LED Brick Drive-Over Well Light features advanced COB (Chip on Board) LED technology for efficient, high-quality illumination. Designed for seamless integration into hardscape elements, it's ideal for patios, pathways, driveways, retaining walls, and architectural accents. Built from high-grade aluminum, it delivers durability and weather resistance, enhancing safety and ambiance in demanding outdoor environments. Pre-wired leads simplify installation for professionals and DIY users.

### FEATURES

- Construction:** Heavy Duty Cast Aluminum
- Lens:** White frosted tempered glass
- Beam Spread:** 100° (Square), 120° (Rectangle)
- Lumens:** 36.4 lm (Square), 72.8 lm (Rectangle)
- Wattage:** 1.3W (Square), 2.6W (Rectangle)
- Color Temperature:** 3000K, RGBW
- RGBW Controller:** Preset Controller & Power Supply Combo
- Voltage:** 12 DC
- Life:** 30,000 Hours
- Warranty:** 2 Years carefree for parts & components (Labor not included)
- Listings:** cETLus, IP67 suitable for wet locations



**SPEC**  
.....  
**GRADE**

**2**  
YEAR  
WARRANTY

**IP67**

**WET**



### ORDERING INFORMATION Example:

| Model       | Shape                                   | Color Temperature                                 | RGBW Connection Wire                         |
|-------------|-----------------------------------------|---------------------------------------------------|----------------------------------------------|
| <b>9410</b> | <b>SQ</b> Square<br><b>RC</b> Rectangle | <b>RGBW30</b> RGB + W (3000K)<br><b>30K</b> 3000K | <b>16/6-250</b> 250'<br><b>16/6-500</b> 500' |



Alcon Lighting 9410 Architectural LED Brick Drive-Over Well Light

## LINE DRAWINGS & DIMENSIONS

### Square



### Rectangle



## CONTROLLER

### Preset Controller & Power Supply Combo



## COLOR TEMPERATURE GUIDE

| 2700K                             | 3000K                                            | 3500K                                                | 4000K                                                    | 5000K                                                        |
|-----------------------------------|--------------------------------------------------|------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------|
| <b>WARM WHITE</b>                 | <b>SOFT WHITE GLOW</b>                           | <b>NEUTRAL GLOW</b>                                  | <b>COOL WHITE GLOW</b>                                   | <b>DAYLIGHT GLOW</b>                                         |
| friendly<br>personal<br>intimate  | soft<br>warm<br>pleasing                         | sociable<br>inviting<br>non-threatening              | neat<br>clean<br>efficient                               | bright<br>cool<br>alert                                      |
| HOMES<br>LIBRARIES<br>RESTAURANTS | HOMES<br>HOTEL ROOMS<br>LOBBIES<br>RETAIL STORES | EXECUTIVE OFFICES<br>RECEPTION AREAS<br>SUPERMARKETS | OFFICES<br>CLASSROOMS<br>MASS MERCHANDISERS<br>SHOWROOMS | GRAPHICS INDUSTRY<br>HOSPITALS<br>GALLERIES<br>BEAUTY SALONS |
| X                                 | ✓                                                | X                                                    | X                                                        | X                                                            |