) david trubridge



# 



# Manuka



The inspiration for Manuka came from the native New Zealand Mānuka flower and diatom structures. It is a new development in pendant spheres where multiple peripheral LEDs replace the standard single central bulb. An intricately patterned sphere made up of 32 "flower" shapes with 12 LEDs embedded in this shell structure. The pin-point light sources cast magical overlapping shadow patterns. Made from bamboo plywood, aluminium and polycarbonate. Shipped as pack-flat in two sizes.





# **Technical Data**





### 800mm/31"

### 1100mm/43"

Diameter: 800mm / 31" 2.6kg / 5lb Diameter: 1100mm / 43" 5.4kg / 11lb

4m /13.1ft

4m /13.1ft

Bamboo plywood (Sourced from FSC accredited factory) Polycarbonate Bamboo plywood (Sourced from FSC accredited factory) Polycarbonate

Nylon

Nylon

1 set of 5 Suspension Wires

1 set of 6 Suspension Wires

350mm x 240mm x 115mm 14"x 9" x 5" 0.097m³ / 3.4255ft³ 3.2kg / 7lb 350mm x 310mm x 310mm 14"x 12" x 12" 0.014m³ / 0.4944ft³ 5.5kg / 12lb

# Installation

Fixings for cone gripper (fixing screws NOT SUPPLIED).

Note: Choose appropriate hardware to attach base plate (Fig.1) to ceiling substrate.



9mm/ ³/₃" Ø max.


Fig 1. Base Plate



Step 1.
Unscrew baseplate.



Step 2.
Use appropriate fixing screw to mount base plate (Fig.1).




Step 3.

Remove cable from cone. Screw cone back onto baseplate. Re-insert cable and level light. Once desired position is set, trim excess cable.




# Diagrams

800mm / 31"



North America: E26, Max 60 Watts.120v AC 60hz Rest of World: E27, Max 60 Watts 230-240v AC 50hz.



# **Features**

800mm / 31"








# **Features**

1100mm / 43"







# Contact

New Zealand Showroom/Head office



# Contact

+64 6 6500 204 office@davidtrubridge.com

## **Address**

Corner Station Road & Groome Place, Whakatu, Hastings, Hawkes Bay, New Zealand