

FIXTURE SPECIFICATIONS

INTENDED USE

Suitable for Wet Locations, our outdoor wall mount cylinder is offered with RGBW and static white LED lamps. Our wall mount LED features reliable up and down lighting for outdoor applications such as al fresco dining, commercial spaces, residential buildings, campuses and more.

FEATURES


Construction: Powder Coated, Cast Aluminum Body with Clear, Heat Resistant, Polycarbonate Lens

Wire Length: 8 Inch

RGBW Controller: RGBW Handheld remote required for control. RGBW lamp is capable of producing 16 million colors as well as white color temperatures ranging from 2700K-6500K.

Listings: ETL for Wet Location, CA Title 24

Warranty: 2 Years Carefree for Parts & Components (Labor Not Included)



ORDERING INFORMATION Example: (11228-RGBW-BK-RGBW-C)

Model	Lamp Type	Finish	Options
11228	RGBW¹ RGBW 2x12W 2,200 Total lms 120° Beam Spread 100-240V 50,000 Hour Life W-27 2700K 2x7W 1,080 Total lms 50° Beam Spread 120V 25,000 Hour Life W-50 5000K 2x7W 1,080 Total lms 50° Beam Spread 120V 25,000 Hour Life	WH White BK Black BR Bronze VG Verde Green	x-RGBW-C^{2,3} Handheld Remote Control for RGBW lamp

¹ Handheld Remote needed for RGBW Control
² Details on 2nd Page
³ Replace X with quantity required



4-Zone Handheld Remote for RGBW

2.4 GHz Wireless Transmission

Adjustable Light Color Mixing

Dimming

Full Color Range Change

16 Million Adjustable Color Saturation RGB

Last Setting Memory

Can control bulbs from 100ft

2 AAA Batteries required (Sold Separately)

COLOR TEMPERATURE GUIDE

