


FIXTURE SPECIFICATIONS

INTENDED USE

Commercial, residential and hospitality interiors gain value from this square surface-mounted or pendant, architectural grade LED light. The design nets direct lighting through an opal polycarbonate lens. Ideal for today's classroom, office or conference room, museum, retail establishment, restaurant or hotel, our high-performance integrated LED linear lighting comes in a variety of standard lengths (2', 3', 4', 6' and 8'), color temperature & lumen output.

FEATURES

- Construction:** Cold-rolled steel
- Lens:** Snap-In Frosted Acrylic Lens
- Voltage:** 120-277V 50/60 Hz
- Dimming:** 0-10V Dimmable 1%-100%
- Operating Temperature:** -4°F (-20°C) ~ 122°F (50°C)
- Nominal Lamp Life:** 100,000 Hours
- Life:** 60,000 Hours (L70)
- Listings:** UL/CUL Listed for Dry and Damp Locations.
- Warranty:** 5 Years Carefree for Parts & Components (Labor Not Included)



ORDERING INFORMATION Example: (12100-20-SQ-P-D54-30K-8-WH-FL-AC4-WH/WH-T)

Model	Mounting	Size	LED Downlight <small>Wattage & Lumens per foot</small>	LED Uplight <small>Wattage & Lumens per foot</small>	Color Temp	Finish
12100-20-SQ	P	2	D4	(Blank)	27K	WH
	Pendant	2'x2'	4.5 Watt 640 lms	Not Required	2700K	White
	S	3	D6	I4	30K	SL
	Surface	3'x3'	6 Watts 820 lms	4.5 Watt 530 lms	3000K	Silver
	4	D9	I6	35K	BK	
	4'x4'	9 Watts 1061 lms	6 Watts 733 lms	3500K	Black	
	6	D12	I40K	40K	XXXX	
	6'x6'	12 Watts 1405 lms	4000K	Specify XXXX:	Found on Page 2	
8	D13	I50K	50K			
8'x8'	13.5 Watts 1537 lms	5000K				

Pendant Mounting	Pendant Cord / Canopy Finish	Pendant Ceiling Type	Warranty	Options
(Blank) Not Required	(Blank) Not Required	(Blank) Not Required	(Blank) <small>Standard</small> 5 Year Warranty	EM8' 8W 1296 lms
AC4 4' Adjustable Aircraft Cable	WH/WH White Cord / White Canopy	T9 <small>Standard</small> 9/16" Grid T-bar	W7 7 Year Warranty	BAA Buy American Act Assembled in USA
AC8 8' Adjustable Aircraft Cable	BK/BK Black Cord / Black Canopy	T15 15/16" Grid T-bar	W10 10 Year Warranty	OS Occupancy & Daylight
ACX Specify X in Feet (Max 30')	WH/BK White Cord / Black Canopy	H Hard / Dry Wall		Harvesting Sensor
ST24 2' Stem	BK/WH Black Cord / White Canopy	SH Sloped Hard / Dry Wall		DS Daylight Dimming
ST48 4' Stem				Photo Sensor
STX Specify X in Feet (Max 8')				AB Separate Uplight & Downlight Dimming Control

1 CEC Compliant











Available Finishes

Standard










	Matte White	RAL #9003
--	-------------	-----------


Set up fee and longer lead time will be applied on non-standard finishes.

Metropolitan



	Black	RAL #9011
	Silver	RAL #9022
	Asher Grey	RAL #7004
	Mason	RAL #7039
	Slate	RAL #7031
	Tech Grey	RAL #7016
	Chocolate Spice	RAL #8017
	Urban Native	RAL #8025
	Carmin	RAL #8028
	Reseda Green	RAL #6011

Vibrant

	Violet Dreams	RAL #4006
	Purple Red	RAL #3004
	Carmine Red	RAL #3002
	Rose	RAL #3017
	Pure Orange	RAL #2004
	Traffic Yellow	RAL #1023
	Daisy	RAL #1018
	Antique Spring	RAL #6019
	Island Skye	RAL #6027
	Sky Blue	RAL #5015



	Dimensions				
	2x2	3x3	4x4	6x6	8x8
Length	24"	36"	48"	72"	96"
Width	2.5"	2.5"	2.5"	2.5"	2.5"
Height	4"	4"	4"	4"	4"

	Triac	ELV	0-10V
	TG-600P LG-600P TGCL-153P DV-600P DVCL-153P S-603PG CT-103P S-600P	DVELV-303P SELV-300P MAELV-600 FAELV-500	NTSTV NFTV DVSTV
	6161 6633-P 6683 6631-2 IPI06-1LZ	IPE04 VPE06-1LZ	IP710-DLZ

COLOR TEMPERATURE GUIDE



2700K	3000K	3500K	4000K	5000K
WARM WHITE	SOFT WHITE GLOW	NEUTRAL GLOW	COOL WHITE GLOW	DAYLIGHT GLOW
friendly personal intimate	soft warm pleasing	sociable inviting non-threatening	neat clean efficient	bright cool alert
HOMES LIBRARIES RESTAURANTS	HOMES HOTEL ROOMS LOBBIES RETAIL STORES	EXECUTIVE OFFICES RECEPTION AREAS SUPERMARKETS	OFFICES CLASSROOMS MASS MERCHANTISERS SHOWROOMS	GRAPHICS INDUSTRY HOSPITALS GALLERIES BEAUTY SALONS