

FIXTURE SPECIFICATIONS

INTENDED USE

Supply ample, architectural-grade wall wash LED downlight to commercial, hospitality and residential interiors with this octagon-shaped pendant aircraft cable suspension light. Available in black, white and silver with a variety of color temperatures and a range of lumens outputs, our LED light is made with extruded diecast aluminum in America. Perfect for office building and conference room lighting applications.

FEATURES

Construction: Die-Cast Extruded Aluminum Body

Aircraft Cable Length: 144"


Lens: Glare Free Snap-in Frosted Lens

Voltage: 120-277V 50/60 Hz



Power Factor: >0.90

Warranty: 5 Years Carefree for Parts & Components (Labor Not Included)


Listings: Made in the USA



BRACKET DIMENSIONS



Diameter	L
SM	77"
MD	203"
LG	223"
XL	265"




ORDERING INFORMATION Example: (12100-23-OG-SM-D160-WH-BK-30K-8)

Model	Diameter	Downlight	Uplight	Finish	Connector Finish ¹	Color Temp	CRI	Options
12100-23-OG			(Blank) Downlight Only	WH White	BK Black	30K 3000K	8 Standard 80+ CRI	EM14 Integrated 14W Emergency Battery Backup
	SM 77"	D160 160W 18400 lum	I96 96W 11040 lum	BK Black	GBK Glossy Black	35K 3500K	9 90+ CRI	AB Separate down and up dimming
	MD 203"	D320 320W 36800 lum	I192 192W 22080 lum	SL Silver	SL Silver	40K 4000K		
	LG 223"	D480 480W 55200 lum	I288 288W 33120 lum		BZ Bronze	50K 5000K		
	XL 265"	D640 640W 73600 lum	I384 384W 44160 lum		IR Iron			
					YL Yellow			
					OR Orange			
					RD Red			
					BL Blue			


¹ End Caps will also match Connector Finish

Available Finishes

Fixture Finishes

	White
	Black
	Silver

Junction & End Cap Finishes

	Black
	Glossy Black
	Silver
	Bronze
	Iron
	Yellow
	Orange
	Dark Red
	Red
	Blue



COLOR TEMPERATURE GUIDE

