


## FIXTURE SPECIFICATIONS

### INTENDED USE



Use our diecast aluminum-bodied, aircraft-cabled square pendant, available in a variety of color temperatures, to your project for ample, clear LED light. The architectural-grade square LED linear lighting fixture offers streamlined wall wash light to commercial, hospitality and residential interiors. This product, made in the United States of America, includes a snap-in lens for frosted, glare-free light. Perfect for office lighting and conference room applications.

### FEATURES

- Construction:** Die-Cast extruded aluminum body
- Aircraft Cable Length:** 144"
- Lens:** Glare Free Snap-in Frosted Lens
- Voltage:** 120-277V 50/60 Hz
- Power Factor:** >0.90
- Warranty:** 5 Years Carefree for Parts & Components (Labor Not Included)
- Listings:** Made in the USA



## BRACKET DIMENSIONS



Diameter	L	W
SM	35 in	30 in
MD	59 in	51 in
LG	83 in	72 in
XL	107 in	93 in




## ORDERING INFORMATION Example: (12100-23-SQ-SM-D80-WH-BK-30K-8)

Model	Size	Downlight	Uplight	Finish	Connector Finish <sup>1</sup>	Color Temp	CRI	Options
<b>12100-23-SQ</b>			<b>(Blank)</b> Downlight Only	<b>WH</b> White	<b>BK</b> Black	<b>30K</b> 3000K	<b>8</b> <i>Standard</i> 80+ CRI	<b>EM14</b> Integrated 14W Emergency Battery Backup
	<b>SM</b> 32"W x 32"L	<b>D80</b> 80W   9200 lum	<b>U36</b> 48W   5520 lum	<b>BK</b> Black	<b>GBK</b> Glossy Black	<b>35K</b> 3500K	<b>9</b> 90+ CRI	<b>AB</b> Separate down and up dimming
	<b>MD</b> 56"W x 56"L	<b>D96</b> 96W   18400 lum	<b>U72</b> 96W   11040 lum	<b>SL</b> Silver	<b>SL</b> Silver	<b>40K</b> 4000K		
	<b>LG</b> 80"W x 80"L	<b>D180</b> 240W   27600 lum	<b>U108</b> 144W   16560 lum	<b>BZ</b> Bronze	<b>IR</b> Iron	<b>50K</b> 5000K		
	<b>XL</b> 104"W x 104"L	<b>D240</b> 320W   36800 lum	<b>U144</b> 192W   22080 lum	<b>YL</b> Yellow	<b>YL</b> Yellow			
				<b>OR</b> Orange	<b>OR</b> Orange			
				<b>RD</b> Red	<b>RD</b> Red			
				<b>BL</b> Blue	<b>BL</b> Blue			

<sup>1</sup> End Caps will also match Connector Finish


Available Finishes

Fixture Finishes

	White
	Black
	Silver

Junction & End Cap Finishes

	Black
	Glossy Black
	Silver
	Bronze
	Iron
	Yellow
	Orange
	Dark Red
	Red
	Blue



## COLOR TEMPERATURE GUIDE



2700K	3000K	3500K	4000K	5000K
<b>WARM WHITE</b>	<b>SOFT WHITE GLOW</b>	<b>NEUTRAL GLOW</b>	<b>COOL WHITE GLOW</b>	<b>DAYLIGHT GLOW</b>
friendly personal intimate	soft warm pleasing	sociable inviting non-threatening	neat clean efficient	bright cool alert
HOMES LIBRARIES RESTAURANTS	HOMES HOTEL ROOMS LOBBIES RETAIL STORES	EXECUTIVE OFFICES RECEPTION AREAS SUPERMARKETS	OFFICES CLASSROOMS MASS MERCHANDISERS SHOWROOMS	GRAPHICS INDUSTRY HOSPITALS GALLERIES BEAUTY SALONS
✗	✓	✓	✓	✓