


## FIXTURE SPECIFICATIONS

### INTENDED USE



Available in a silver, black or white finish, our architectural-grade LED linear pendant product delivers wall wash light to commercial, hospitality and residential interiors. Apply extruded diecast aluminum-bodied, aircraft-cabled illumination, available in a variety of color temperatures, to your project for clear, ample and streamlined light. This product's lens snaps in for frosted, glare-free light.

### FEATURES

- Construction:** Die-Cast Extruded Aluminum Body
- Aircraft Cable Length:** 144"
- Lens:** Glare Free Snap-in Frosted Lens
- Driver:** 0-10V Dimming
- Voltage:** 120-277V 50/60 Hz
- Power Factor:** >0.90
- Warranty:** 5 Years Carefree for Parts & Components (Labor Not Included)
- Listings:** Made in the USA



## BRACKET DIMENSIONS






Diameter	L	W
SM	35 in"	30 in"
MD	59 in"	51 in"
LG	83 in"	72 in"
XL	107 in"	93 in"

## ORDERING INFORMATION Example: (12100-23-T-SM-D60-WH-BK-30K-8)

Model	Size	Downlight	Uplight	Fixture Finish	Junction & End Cap Finish	Color Temp	CRI	Options
<b>12100-23-T</b>			<b>(Blank)</b> Downlight Only	<b>WH</b> White	<b>BK</b> Black	<b>30K</b> 3000K	<b>8</b> <small>Standard</small> 80+ CRI	<b>EM14</b> Integrated 14W Emergency Battery Backup
	<b>SM</b> 30"W x 35"L	<b>D60</b> 60W   6900 lum	<b>U36</b> 36W   4140 lum	<b>BK</b> Black	<b>GBK</b> Glossy Black	<b>35K</b> 3500K	<b>9</b> 90+ CRI	
	<b>MD</b> 51"W x 59"L	<b>D100</b> 120W   13800 lum	<b>U72</b> 72W   8280 lum	<b>SL</b> Silver	<b>SL</b> Silver	<b>40K</b> 4000K		<b>AB</b> Separate down and up dimming
	<b>LG</b> 72"W x 83"L	<b>D120</b> 180W   20700 lum	<b>U108</b> 108W   12420 lum	<b>BZ</b> Bronze	<b>IR</b> Iron	<b>50K</b> 5000K		
	<b>XL</b> 93"W x 107"L	<b>D120</b> 240W   27600 lum	<b>U144</b> 144W   16560 lum	<b>YL</b> Yellow	<b>YL</b> Yellow			
				<b>OR</b> Orange	<b>OR</b> Orange			
				<b>RD</b> Red	<b>RD</b> Red			
				<b>BL</b> Blue	<b>BL</b> Blue			


Available Finishes

Fixture Finishes

	White
	Black
	Silver

Junction & End Cap Finishes

	Black
	Glossy Black
	Silver
	Bronze
	Iron
	Yellow
	Orange
	Dark Red
	Red
	Blue



## COLOR TEMPERATURE GUIDE



2700K	3000K	3500K	4000K	5000K
<b>WARM WHITE</b>	<b>SOFT WHITE GLOW</b>	<b>NEUTRAL GLOW</b>	<b>COOL WHITE GLOW</b>	<b>DAYLIGHT GLOW</b>
friendly personal intimate	soft warm pleasing	sociable inviting non-threatening	neat clean efficient	bright cool alert
HOMES LIBRARIES RESTAURANTS	HOMES HOTEL ROOMS LOBBIES RETAIL STORES	EXECUTIVE OFFICES RECEPTION AREAS SUPERMARKETS	OFFICES CLASSROOMS MASS MERCHANDISERS SHOWROOMS	GRAPHICS INDUSTRY HOSPITALS GALLERIES BEAUTY SALONS
✗	✓	✓	✓	✓