

FIXTURE SPECIFICATIONS

INTENDED USE


The specification grade Alcon Lighting 12134 Trinity Suspended Pendant Direct Light Fixture brings clean lines and clear light to LED lighting interiors. Our sleek, stylish fixtures offer highly effective and efficient lighting solutions for hotels, offices, retail outlets, restaurants, and more.

FEATURES

- Construction:** Cold-rolled steel
- Lens:** Snap-In Frosted Acrylic Lens
- Voltage:** 120-277V 50/60 Hz
- Dimming:** 0-10V Dimmable 1%-100%.
- Operating Temperature:** -4°F (-20°C) ~ 122°F (50°C)
- Nominal Lamp Life:** 100,000 Hours
- Life:** 60,000 Hours (L70)
- Listings:** UL/CUL Listed for Dry and Damp Locations
- Warranty:** 5 Years Carefree for Parts & Components (Labor Not Included)



ORDERING INFORMATION Example: (12134-P-D4-30K-8-WH-FL-AC4-WH/WH-T)

Model	Mounting	Length Per Arm	LED Downlight Wattage & Lumens per foot	LED Uplight Wattage & Lumens per foot	Color Temp	CRI	Finish	Lens
12134	P Pendant	2	D4 4.5 Watt 640 lms	(Blank) Not Required	27K 2700K	8 Standard 80+ CRI	WH White	FL Standard Flat
		4	D6 6 Watts 820 lms	I4 4.5 Watt 530 lms	30K 3000K	9 90+ CRI	SL Silver	DL 1/2" Drop Down
	S Surface	5	D9 9 Watts 1061 lms	I6 6 Watts 733 lms	35K 3500K	Specify XXXX: Found on Page 2	BK Black	 Optional Drop Down Lens
		6	D12 12 Watts 1405 lms	40K 4000K				
		8	D13 13.5 Watts 1537 lms	50K 5000K				
		8 Foot Arm	13.5 Watts 1537 lms	5000K				

Pendant Mounting	Pendant Cord / Canopy Finish	Pendant Ceiling Type	Warranty	Options
(Blank) Not Required	(Blank) Not Required	(Blank) Not Required	(Blank) Standard 5 Year Warranty	EM8 8W Emergency Battery
AC4 4' Adjustable Aircraft Cable	WH/WH White Cord / White Canopy	T9 9/16" Grid T-bar Ceiling	W7 7 Year Warranty	EM15 15W Emergency Battery
AC8 8' Adjustable Aircraft Cable	BK/BK Black Cord / Black Canopy	T15 15/16" Grid T-bar Ceiling	W10 10 Year Warranty	EM20 20W Emergency Battery
ACX Specify X in Feet (Max 30')	WH/BK White Cord / Black Canopy	H Hard / Dry Wall		EM25 25W Emergency Battery
ST24 2' Stem	BK/WH Black Cord / White Canopy	SH Sloped Hard / Dry Wall		AUSA Assembled in USA
ST48 4' Stem				
STX Specify X in Feet (Max 8')				

Available Finishes

Standard




	Matte White	RAL #9003
--	-------------	-----------

Set up fee and longer lead time will be applied on non-standard finishes.

Metropolitan



	Black	RAL #9011
	Silver	RAL #9022
	Asher Grey	RAL #7004
	Mason	RAL #7039
	Slate	RAL #7031
	Tech Grey	RAL #7016
	Chocolate Spice	RAL #8017
	Urban Native	RAL #8025
	Carmin	RAL #8028
	Reseda Green	RAL #6011

Vibrant

	Violet Dreams	RAL #4006
	Purple Red	RAL #3004
	Carmine Red	RAL #3002
	Rose	RAL #3017
	Pure Orange	RAL #2004
	Traffic Yellow	RAL #1023
	Daisy	RAL #1018
	Antique Spring	RAL #6019
	Island Skye	RAL #6027
	Sky Blue	RAL #5015



Dimensions

	Arm Size: 2'	Arm Size: 4'	Arm Size: 5'	Arm Size: 6'	Arm Size: 8'
X'	23.9"	47.8"	59.75"	71.7"	95.6"



Compatible Dimmers

Dynamic White

	Triac	ELV	0-10V
	TG-600P	DVELV-303P	NTSTV
	LG-600P	SELV-300P	NFTV
	TGCL-153P	MAELV-600	DVSTV
	DV-600P	FAELV-500	
	DVCL-153P		
	S-603PG		
	CT-103P		
	S-600P		
	6161	IPE04	IP710-DLZ
	6633-P	VPE06-1LZ	
	6683		
	6631-2		
	IPI06-1LZ		

COLOR TEMPERATURE GUIDE

