

Project Name:

Type:

Quantity:

FIXTURE SPECIFICATIONS

INTENDED USE

With the capability to tune color temperature, our simple yet elegant chandelier affords both uplighting and downlighting. Adding versatility to the trading space, such as retailers, as well as conference rooms, offices, hotels and restaurants, the dimmable suspended product yields from 100 to 277 volts. For optimal color control consistency, this product works best within series S.

FEATURES

Construction: Seamless Aluminum Frame

Color Temperature Switch: Capable of delivering 3000K, 3500K & 4000K Color Temperatures. Color Temperature Tuning (from 3K to 4K), RGBW-3K & RGBW-4K Available. For optimal color control consistency, this product works best within series S.

Lens: High Transmittance Acrylic

Voltage: 100-277V

Power factor: 0.90

CRI: 80+

Dimming: 0-10V Dimmable

Life: 100,000-hour

Warranty: 5 Years Carefree for Parts & Components (Labor Not Included)

Listings: cULus, FCC listed, RoHS compliant, Dry location.



Light Distribution



Inside

Outside

Style



Round Driver


Round Driver with Ring

Remote Driver


ORDERING INFORMATION Example: (12279-I-1-32-CS-010-WH-AC60-A)

Model	Light Distribution	Rings	Color Temp	Dimming Control	Finish	Mounting	Style	Options			
12279	I Inside	1 Tier	CS Standard Color Temperature Switch 3000K, 3500K & 4000K	010 Standard 0-10V Dimming	Standard	AC120 Standard 10 Foot Adjustable Aircraft Cable	A Round Driver	CCT-C Color Temperature Tuning Wall Control More information on Pg 4			
	O Outside	1-32 (32" 40 Watts 2,811 Lumen)							DMX DMX	WH White	B Round Driver with Ring
	1-40 (40" 50 Watts 3,475 Lumen)	CCT ¹ Color Temperature Tuning From 3000K to 4000K	ZB ZigBee Control	SL Silver	AC60 5 Foot Adjustable Aircraft Cable	D Remote Driver	RGB/CCT-R RGBW / Color Temperature Handheld Remote More information on Pg 4				
	1-48 (48" 60 Watts 3,858 Lumen)							RGBW3K ¹ RGBW + 3000K Color Temp	Premium	AC180 15 Foot Adjustable Aircraft Cable	REM5 5 Watt Remote Emergency Backup Battery
	1-60 (60" 70 Watts 4,469 Lumen)	OR Orange	RE Fire Engine Red	REM10 10 Watt Remote Emergency Backup Battery							
	1-72 (72" 80 Watts 4,652 Lumen)				RGBW4K ¹ RGBW + 4000K Color Temp	YE Yellow	AC240 20 Foot Adjustable Aircraft Cable	REM17 17 Watt Remote Emergency Backup Battery			
	2 Tier	3-32 (32" + 40" + 48" 150 Watts 10,144 Lumen)	3-40 (40" + 48" + 60" 150 Watts 11,820 Lumen)	3-48 (48" + 60" + 72" 200 Watts 12,979 Lumen)					4 Tier	4-32 (32" + 40" + 48" + 60" 200 Watts 15,669 Lumen)	4-40 (40" + 48" + 60" + 70" 250 Watts 17,879 Lumen)
	3 Tier				4-32 (32" + 40" + 48" + 60" 200 Watts 15,669 Lumen)	4-40 (40" + 48" + 60" + 70" 250 Watts 17,879 Lumen)	5 Tier	5-32 (32" + 40" + 48" + 40" + 32" 200 Watts 16,430 Lumen)			
	4 Tier	5-32 (32" + 40" + 48" + 60" 200 Watts 15,669 Lumen)	5-40 (40" + 48" + 60" + 70" 250 Watts 17,879 Lumen)	5 Tier					5-32 (32" + 40" + 48" + 40" + 32" 200 Watts 16,430 Lumen)	5-40 (40" + 48" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	5-48 (48" + 60" + 72" + 60" + 48" 340 Watts 21,306 Lumen)
	5 Tier				5-32 (32" + 40" + 48" + 60" 200 Watts 15,669 Lumen)	5-40 (40" + 48" + 60" + 70" 250 Watts 17,879 Lumen)	5 Tier	5-32 (32" + 40" + 48" + 40" + 32" 200 Watts 16,430 Lumen)			
	6 Tier	6-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	6-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	6-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					6-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	6-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	6-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
	7 Tier				7-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	7-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	7-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	7-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
	8 Tier	8-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	8-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	8-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					8-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	8-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	8-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
	9 Tier				9-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	9-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	9-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	9-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
	10 Tier	10-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	10-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	10-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					10-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	10-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	10-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
	11 Tier				11-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	11-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	11-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	11-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
	12 Tier	12-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	12-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	12-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					12-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	12-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	12-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
	13 Tier				13-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	13-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	13-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	13-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
	14 Tier	14-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	14-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	14-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					14-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	14-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	14-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
	15 Tier				15-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	15-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	15-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	15-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
	16 Tier	16-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	16-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	16-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					16-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	16-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	16-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
17 Tier	17-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				17-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	17-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	17-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	17-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
18 Tier		18-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	18-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	18-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					18-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	18-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	18-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
19 Tier	19-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				19-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	19-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	19-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	19-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
20 Tier		20-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	20-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	20-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					20-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	20-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	20-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
21 Tier	21-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				21-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	21-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	21-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	21-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
22 Tier		22-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	22-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	22-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					22-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	22-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	22-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
23 Tier	23-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				23-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	23-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	23-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	23-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
24 Tier		24-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	24-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	24-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					24-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	24-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	24-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
25 Tier	25-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				25-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	25-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	25-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	25-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
26 Tier		26-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	26-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	26-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					26-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	26-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	26-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
27 Tier	27-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				27-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	27-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	27-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	27-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
28 Tier		28-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	28-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	28-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					28-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	28-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	28-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
29 Tier	29-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				29-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	29-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	29-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	29-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
30 Tier		30-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	30-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	30-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					30-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	30-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	30-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
31 Tier	31-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				31-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	31-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	31-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	31-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
32 Tier		32-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	32-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	32-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					32-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	32-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	32-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)
33 Tier	33-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)				33-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	33-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)	33-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	33-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)			
34 Tier		34-32 (32" + 40" + 48" + 60" + 40" + 32" 200 Watts 16,430 Lumen)	34-40 (40" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	34-48 (48" + 60" + 72" + 60" + 48" + 40" 380 Watts 19,135 Lumen)					34-56 (56" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	34-64 (64" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,135 Lumen)	34-72 (72" + 48" + 60" + 48" + 40" + 40" 380 Watts 19,1


1 TIER





2 TIER






3 TIER



4 TIER



5 TIER



Control	DMX Compatible	ZigBee Compatible
 <p>CCT Wall Control</p>	✓	✓
 <p>RGBW Wall Control</p>	✓	✓
 <p>RGBW/CCT Handheld Remote Control</p>	✗	✓
 <p>Alexa Echo Plus, Google Home & other smart Speakers <i>Device must be Zigbee 8.0 Compatible</i></p>	✗	✓
 <p>iOS / Android Application <i>Alexa Echo Plus, Google Home or other ZigBee 8.0 Compatible smart speaker needed for operation</i></p>	✗	✓