


Project Name: _____ Type: _____ Quantity: _____

INTENDED USE

The integrated color-changing LED lightstrip has a 0.63" lens aperture width and is available in standard lengths of 2-foot, 4-foot, 6-foot, 8-foot and custom cuts. Our commercial-grade product with dimmable light via Android or iOS application or optional controls can be joined in seamless runs of any length. This 24-voltage lightstrip offers direct downlight secured in a military-grade, field-cuttable aluminum channel.

FEATURES

- Construction:** Durable military grade aluminum, installs to fit flush onto drywall surface
- LED Driver:** Remote non-dimming transformer is provided home run required at every 16'
- Beam Angle:** 120°
- Lens:** Frosted
- Shape Design:** Fixture profile can be miter cut-in the field-to achieve desired shape design
- Finish:** Matte White, Bronze
- Voltage:** 24V DC Constant Voltage
- Lumens:** 310 lms (White) | 185 lms (RGB)
- Dimming:** Light is Dimmable via iOS/Android Application or Optional Controls
- WiFi Controls (iOS/Android):**
 Mobile App: Easy Home Smart Home
 DMX Wall App: WiFi 104
- Life:** 50,000 Hours
- Warranty:** 5 Years Carefree for Parts & Components (Labor Not Included)
- Listings:** cUL Listed, Title 24 Certified



ORDERING INFORMATION Example: (15244-A-RGBW-2-RGBW27K-RF)

Model	Design	Length Wattage	Color Temp	Finish	Control
15244-RGBW Recessed RGBW	A Angled	2 2 Foot 10 Watts	RGBW27K RGB + 2700K	MW Matte White	WIFI Mobile Application + WiFi
	S Straight	4 4 Foot 20 Watts	RGBW30K RGB + 3000K	BZ Bronze	RF RF Remote Control (White)
		6 6 Foot 30 Watts	RGBW40K RGB + 4000K		DMX DMX Wall Control (White)
		8 8 Foot 40 Watts	RGBW50K RGB + 5000K		DMX-W-WIFI DMX Wall Control (White) + WiFi
		XX Custom Length <i>Replace XX with Length in Feet</i>			DMX-B-WIFI DMX Wall Control (Black) + WiFi



RF Remote Control
6.38" L x 1.65" W x 0.59" H



Mobile Application + WiFi



DMX Wall Control
5.20" L x 7.09" W x 1.38" H



DMX Wall Control + WiFi
5.75" L x 4.17" W x 0.43" H

WiFi-104



iOS + Android

COLOR TEMPERATURE GUIDE

2700K	3000K	3500K	4000K	5000K
WARM WHITE	SOFT WHITE	NEUTRAL WHITE	COOL WHITE	DAY LIGHT
friendly personal intimate	soft warm pleasing	sociable inviting non-threatening	neat clean efficient	bright cool alert
HOMES LIBRARIES RESTAURANTS	HOMES HOTEL ROOMS LOBBIES RETAIL STORES	EXECUTIVE OFFICES RECEPTION AREAS SUPERMARKETS	OFFICES CLASSROOMS MASS MERCHANDISERS SHOWROOMS	GRAPHICS INDUSTRY HOSPITALS GALLERIES BEAUTY SALONS
✓	✓	✗	✓	✓