

Project Name: _____ Type: _____ Quantity: _____

INTENDED USE

The specification grade alcon lighting 31030 LED sign light fixture is designed to work outdoors. LED sign lighting provides practical and stylish light to exterior signs. Both models feature wattage and color temperature selectable switch.

FEATURES

Construction: Die-cast aluminum housing with Powder coat finish

Stem Length: 32.7 Inches

Cord Type: #18 AWG wire

Wattage: Fixture features wattage select switch located on the back of the fixture

Color Temperature: Color temperature switch from 3000K/4000K/5000K/5700K

CRI: 80+

Dimming: 0-10V Dimming

Voltage: 120~277VAC 50~60 Hz

Beam Spread: 120°X 90°

LED Life: 70,000 Hours

Operating Temperature: -40°F to 104°F

Warranty: 5 years carefree for parts & components (Labor not included)

Listings: IP65 Rated, Suitable for wet locations, DLC, UL listed



Color temperature and wattage selectable




ORDERING INFORMATION Example:


Model	Size		Finish	
31030	SM	Small	WH	White
	MD	Medium	BR	Bronze
			BK	Black
			SL ¹	Silver

	Size	Wattage	Lumens
Small		10W	1280L
		15W	1930L
		20W	2500L
		30W	3900L
Medium		15W	2180L
		20W	2700L
		30W	4020L
		50W	6350L


¹ The mounting arm finish will be matched with RAL 9006. Additional lead time of 4-7 business days.




Small and Medium
10"(H) x 8 3/4"(W) x 2 7/8"(D)




PHOTOMETRICS: 31030-SM




BUG Rating: B2-U0-G1



PHOTOMETRICS: 31030-MD




BUG Rating: B3-U0-G1



Side View



Front View



Back View

COLOR TEMPERATURE GUIDE

