

SPECIFICATION SHEET

Project Name:

e: Quantity:

INTENDED USE

The specification grade alcon lighting 31031 LED sign light fixture is designed to work outdoors. LED sign lighting provides practical and stylish light to exterior signs. Both models feature wattage and color temperature selectable switch.

FEATURES

SPEC

Construction: Die-cast aluminum housing with Powder coat finish. Lens: Plaid tempered glass with aluminum reflectors Stem: Includes 32" stem Cord Type: #18/3 AWG wire Wattage: Fixture features wattage select switch located on the back of the fixture Color Temperature: Color temperature switch from 3000K/4000K/5000K Dimming: Non-dimmable CRI: 80+ Voltage: 120~277VAC 50~60 Hz Beam Spread: 60° for Medium | 35° for High LED Life: 70,000 Hours Operating Temperature: -40°F to 104°F Warranty: 5 years carefree for parts & components (Labor not included) Listings: IP65 Rated, Suitable for wet locations





Power	Wattage	Lumens	
Medium	10W 20W 30W	1200L 2400L 3600L	
High	30W 40W 50W	3600L 4800L 6000L	



Model	Wattage		Finish		Options	
31031	MD HI	10W/20W/30W 30W/40W/50W	BR BK	Bronze Black	S ^{Standard} F	Short Shroud Flat Shroud



31031-MD (Flat/Short Shroud)









