

Project Name:

Type: _____ Quantity:

Shop Now

FIXTURE SPECIFICATIONS

INTENDED USE

The integrated color-changing, color tuning LED lightstrip has a 1-inch lens aperture width and is available in standard lengths of 2-foot, 4-foot, 6-foot, 8-foot and custom cuts. Our commercial-grade product with dimmable light via Android or iOS application or optional controls can be joined in seamless runs of any length. This 24-voltage lightstrip offers direct downlight secured in a military-grade, field-cuttable aluminum channel.

PRODUCT FAMILY

12100-10-P| Pendant 12100-10-S| Surface 12100-10-R| Recessed

12100-10-LR| Low-Profile Recessed 12100-10-PR| Perimeter Recessed

12100-10-PR-RGBW | Perimeter Recessed RGBW

FEATURES

Construction: Durable military grade aluminum, field cuttable can be installed in any drawall thickness

installed in any drywall thickness

LED Driver:Remote non-dimming transformer is provided

home run required at every 16'

Beam Angle: 120°

Lens: Glare-free snap-in frosted acrylic for even distribution

Finish: Matte White

Voltage: 24V DC constant voltage

Wattage: 6.0 Watts/Foot (2.2W Watts/Foot for Wet Location) Lumens: Up to 380 Im/ft (Up to 185Im/ft for Wet Location) Color Temperature: RGB + 2700K - 5000K color tuning

Dimming: Light is Dimmable via iOS/Android Application or Optional Controls

WiFi Controls (iOS/Android):

Mobile App: Easy Home Smart Home DMX Wall App: WiFi 104


DMX Wall App: WiFi 104 **Life:** 50,000 Hours

Warranty: 5 Years Carefree for Parts & Components


(Labor Not Included)

Listings: cULus Listed, Title 24/JA8, IP54 Indoor (LED component only),

Optional Wet Location IP65 (LED component only)



12' Max Cable Suspension















ORDERING INFORMATION Example: (12100-10-P-RGBW-4-RGB27K-WH-DMX-WL)

Model	Length	Finish	Controls	Options
12100-10-P-RGBW RGBW Pendant	2 2 Foot 4 4 Foot 6 6 Foot 8 8 Foot XX¹ Custom Length Replace XX with Length in Feet	WH White BK Black SL Silver	WIFI Mobile Application + WiFi RF RF Remote Control (White) DMX DMX Wall Control (White) DMX-W-WIFI DMX Wall Control (White) + WiFi DMX-B-WIFI DMX Wall Control (Black) + WiFi	WL Wet Location IP65

1 Continuous runs over 8' ship as components for field assembly



RGBW CONTROLS



RF Remote Control 6.38" L × 1.65" W × 0.59" H



DMX Wall Control

5.20" L x 7.09" W x 1.38" H



Mobile Application + WiFi



WiFi-104
iOS + Android

DMX Wall Control + WiFi

5.75" L × 4.17" W × 0.43" H

2/3





3/3