


Quantity:





Type:

FIXTURE SPECIFICATIONS

INTENDED USE

The Cilindro Architectural LED Cylinder Light

Fixture is a versatile and high performance fixture offering both precision lighting and elegant style and can be used for any new construction, remodel, or retrofit projects. The Cilindro is ideal for architectural, commercial, and residential applications in columns, surfaces, or pathways.

AVAILABLE DIMENSIONS

Small | H 4" x Dia 4.3" Medium | H 8" x Dia 4.3" Large | H 12" x Dia 4.3"

FEATURES

Project Name:

Construction: Die-Cast Extruded Aluminum Body Junction Box: Installs in Most 3"/4" Octagonal and 3"/4" Round Boxes Voltage: 120-277V 50/60 Hz Dimming: Electronic Low Voltage (120V) 3-wire (100%-5%) CRI: 90+, 2-Step SDCM Life: 50,000 Hours Operating Temperature: 40° Power Factor: >.9 Emergency: Mounted Remote Inverter (90 Minutes) Warranty: 5 Years Listings: cULus Listed, CEC Listed, UL Listed for Damp Location, UL Listed for Wet Location for Wet Models

ORDERING INFORMATION Example: (12305-750L-30K-CM24-WH-ELV-EM)

Model	Wattage & Lumens	Color Temp	Mounting	Finish	Options
12302 Small 12305 Medium 12307 Large	750L 11.8 watts 750 lms 1000L 14.7 watts 1000 lms 1500L1 19.5 watts 1500 lms 2000L1 29 watts 2000 lms	- Residential 27K 2700K 30K 3000K Commercial 35K 3500K 40K 4000K	CM24 ² 24" Cord Mount ST24 ² 24" Stem Mount CMXX ³ Custom Cord Mount STXX ⁴ Custom Stem Mount	- WH Standard White BK Black BR Bronze BA Brushed Aluminum RAL Custom Color	- EM1 Emergency Remote Inverter DFT Decorative Frost Trim WL Wet Location

¹Not Available for Small Models ²24" Standard ³Up to 48" ⁴Up to 96" ⁵Please Specify #RAL

Alcon Lighting 12302/12305/12307 Cilindro Architectural LED Cylinder Pendant Mount Direct Light Fixture

SPEC

GRADE